

1. E. Mäder, S. Zhandarov, S.L. Gao, X.F. Zhou, and S.R. Nutt, "Bond strength measurement between glass fibers and epoxy resin at elevated temperatures using the pull-out and push-out techniques", *J. Adhesion*, 78 (2002) 547-569.
2. S.L. Gao and E. Mäder, "Characterization of interphase nanoscale property variations in glass fiber reinforced polypropylene and epoxy resin composites", *Composites A*, 33 (2002) 559-576.
3. S.L. Gao and J.K. Kim, "Correlation between crystalline morphology of PEEK and mechanical properties of carbon/PEEK composites influenced by cooling rate", *J. Appl. Polym. Sci.*, 84 (2002) 1155-1167.
4. S.L. Gao and J.K. Kim, "Cooling rate influences in carbon fiber/PEEK composites. Part III. Impact damage performance", *Composites A*, 32 (2001) 775-785.
5. S.L. Gao and J.K. Kim, "Cooling rate influences in carbon fiber/PEEK composites. Part II. Interlaminar fracture toughness", *Composites A*, 32 (2001) 763-774.
6. E. Mäder and S.L. Gao, "Prospect of nanoscale interphase evaluation to predict composite properties", *J. Adhesion Sci. Technol.*, 15 (2001) 1015-1037.
7. S.L. Gao and J.K. Kim, "Cooling rate influences in carbon fiber/PEEK composites. Part I. Crystallinity and interface adhesion", *Composites A*, 31 (2000) 517-530.
8. J.K. Kim and S.L. Gao, "Interface adhesion and interlaminar fracture resistance of carbon/PEEK composites influenced by cooling rate", *Key Eng. Mater.*, 183-187 (2000) 1063-1068.
9. S.L. Gao and J.K. Kim, "Scanning acoustic microscopy as a tool for quantitative characterization of damage in carbon fiber reinforced polymer composites", *Compos. Sci. Technol.*, 59 (1999) 345-351.
10. S.L. Gao and J.K. Kim, "Effect of cooling rate on interphase properties and mechanical response of carbon fiber/PEEK composites", *Mater. Sci. Res. Intern.*, Japan Soc. Mater. Sci., 5 (1999) 157-162.
11. S.L. Gao and J.K. Kim, "Three-dimensional characterization of impact damage in CFRPs", *Impact Response and Dynamic Failure in Composites and Laminated Materials*. Trans. Tech. Pub. (ISBN 0-87849-769-2), Zurich, (1998) 35-40.
12. S.L. Gao and J.K. Kim, "Interphase morphology and fiber pull-out behavior of carbon fiber-PEEK composites", *Key Eng. Mater.*, 145-149 (1998) 811-816.
13. S.L. Gao and Y.G. Zeng, "Surface modification of ultra-high molecular weight polyethylene fiber; Part II. Mechanism of modification of surface adhesion", *J. Appl. Polym. Sci.*, 47 (1993) 2093-2099.

14. S.L. Gao and Y.G. Zeng, "Surface modification of ultra-high molecular weight polyethylene fiber; Part I. Improve surface adhesion", *J. Appl. Polym. Sci.*, 47 (1993) 2065-2070.
15. Y. Chaoting, S.L. Gao and Q. Mu, "Effect of low-temperature-plasma surface treatment on the adhesion of ultra-high-molecular-weight-polyethylene fibers", *J. Mater. Sci.*, Vol 28 (1993) 4883-90.
16. S.L. Gao and L. Zeng, "A study of the adhesion of polyethylene fiber/resin interface", *Polymer Preprints*, 33(1), (1992) 505-506.

In Chinese

17. S.L. Gao, C.T. Yuan and Q.W. Mu, "A study of the interfacial shear properties of CFRPs", *Acta Materiae Compositae Sinica*, 10, (1993) 71-76.
18. C.T. Yuan, S.L. Gao and Q.W. Mu, "Study of the mechanism and effect of surface treatment on fibers", *Acta Materiae Compositae Sinica*, 10, (1993) 9-17.
19. S.L. Gao, Q.W. Mu and C.T. Yuan, "Failure mechanisms of ultr-high molecular weight polyethylene fiber/epoxy composites", *Polym. Mater. Sci. Eng.*, No. 5, (1992) 61-65.
20. C.T. Yuan, S.L. Gao, Q.W. Mu and Y.P. Din, "Surface treatment and properties of UHMW-PE fibers", *Chinese J. Mater. Res.*, 5, (1992) 427-433.
21. S.L. Gao, Q.W. Mu and C.T. Yuan, "Improving fiber surface adhesion by plasma treatment", *J. Chongqing Instit. Archit. & Eng.*, 14, (1992) 67-73.
22. Q.W. Mu, S.L. Gao and C.T. Yuan, "Surface energy of ultr-high molecular weight polyethylene fiber", *J. Chongqing Instit. Archit. & Eng.*, 14, (1992) 72-76.
23. Y. Zeng, Z.F. Shi., S.L. Gao, R.M. Yang, "Zui Xin Chu Zhong Wu Li Jing Sai Shi Ti Quan Jie Hui Bian", ISBN 7-5023-1014-2, Scientific and Technical Documents Publishing House, Beijing, 1992.12.

CONFERENCE

1. S.L. Gao, R C. Zhuang, J. Zhang, J W. Liu, J. Rausch and E. Mäder, "Nanocomposite coating for tailored interphase adhesion in composites coating", *Proc. Euradh 2008 / Adhesion 2008*, Oxford, UK, (September, 2008) 351.
2. E. Mäder, S.L. Gao, J. Rausch, C. Scheffler and R. Plonka, "Nanostructured interphases: Multifunctional effects from filament to component", *Aachen-Dresden International Textile Conference*, Dresden, (December, 2008).
3. S.L. Gao, E. Mäder and R. Plonka, "Healing surface defects by nanocomposite coating", *Proc. 16th Intern. Conf. Composite Mater. (ICCM-16)*, Ed. Kazuro Kageyama, Takashi Ishikawa, Nobuo Takeda, et al., Kyoto, Japan, (July, 2007) 820.

4. E. Mäder, C. Scheffler and S.L. Gao, "Surface nanostructured commingled yarns for effective composite properties", *Proc. 16th Intern. Conf. Composite Mater. (ICCM-16)*, Ed. Kazuro Kageyama, Takashi Ishikawa, Nobuo Takeda, et al., Kyoto, Japan, (July, 2007) 1250.
5. S.L. Gao, E. Mäder and R. Plonka, "Surface Defects Repairing by Polymer Coating with Low Fraction of Nano-reinforcements", *ACCM-5*, Hong Kong, 27 November 2006.
6. J. Liu, S.L. Gao, E. Mäder, A.D. Bianchi, T. Herrmannsdoerfer, S. Zherlitsyn, B.S.A. Zvyagin and J. Wosnitza, "Adhesion Issues in PBO/Epoxy Composites", *ACCM-5*, Hong Kong, 27 November 2006.
7. S.L. Gao, E. Mäder, R. Plonka and C. Rothe, "Nanocomposite coating for functionalising surface properties of traditional materials", 7th IPF-Kolloquium: Innovative Beschichtungsstoffe und Technologien, Dresden, 8. und 9. November 2006.
8. S.L. Gao, E. Mäder, and R. Plonka, "Large Enhancement of Mechanical Properties and Environmental Resistance of Glass Fibre from Polymer Coating with Low Fraction of Nano-reinforcements", *Proc. of Nanotech 2006 Conf.*, CD-ROM, 1, page 871. ISBN: 0-9767985-9-X, Boston, USA, (May, 2006).
9. S.L. Gao, E. Mäder, R. Häßler, T. Bahnners, K. Opwis, and E. Schollmeyer, "Nanoscale Modification of PET by Excimer UV Lamp Irradiation", *Interfaces and Interphases in Multicomponent Materials (IIMM2005)*, Lyon, France, (September, 2005).
10. E. Mäder, S. L. Gao, R. Plonka, and J. Liu, "Nano-coatings on high performance fibres - Feasibility of achieving revolutionary composite properties?", *Interfaces and Interphases in Multicomponent Materials (IIMM2005)*, Lyon, France, (September, 2005).
11. S.L. Gao, "Surface flaw sensitivity of glass fibres with nano-reinforcement in polymer composites", in IPF, Dresden, Germany, (August, 2005).
12. R. Cheristina, S.L. Gao, E. Mäder, R. Plonka, "Alkali-resistant nano coatings for interphase design in glass fibre reinforced concrete", *Interfaces and Interphases in Multicomponent Materials (IIMM2005)*, Lyon, France, (September, 2005).
13. R. Cheristina, S.L. Gao, R. Plonka, E. Mäder, "New Alkali Resistant Glass Fibres for Interphase Design in Textile Reinforced Concrete", *Proc. Int. Techtextil-Symp.*, 7.-9.06., 2005, Frankfurt.
14. S.L. Gao, E. Mäder, R. Plonka, and J. Liu, "Surface flaw sensitivity of glass fibres with nanoreinforcement in polymer coating", *Proc. 15th Intern. Conf. Composite Mater. (ICCM-15)*, Ed. VE Verijenko, S Adali, E Morozov, CJ von Klemperer, CD-ROM, 1-10, ISBN:1-86840-589-3, Durban, South Africa, (July, 2005)
15. T. Doan, E. Mäder, and S.L. Gao, "Jute/PP composites: Fibre statistic properties and matrix modifications", *Proc. 15th Intern. Conf. Composite Mater. (ICCM-15)*, Ed.

VE Verijenko, S Adali, E Morozov, CJ von Klemperer, CD-ROM, 1-10, ISBN:1-86840-589-3, Durban, South Africa, (July, 2005)

16. T. Bahners, K. Opwis, E. Schollmeyer, S.L. Gao and E. Mäder. "Excimer UV lamp irradiation induced crosslinking on PET surfaces", *5th Intern. Symposium on Polymer Surface Modification: Relevance to Adhesion*, June, 2005, Toronto, Canada.
17. E. Mäder, S.L. Gao, R. Plonka, and W. Ehrentraut, "New aspects for fiber and interphase design in textile reinforced concrete", in: *Tagungsband - 7. Dresdner Textiltagung*, ISBN 3-00-01342-7, *Dresden, Germany*, (June, 2004).
18. S.L Gao, E. Mäder, and R.Plonka, "Protective alkali-resistant Interphase for Glass Fibres in a Cementitious Matrix", *7. Dresdner Textiltagung*, Dresden, Germany, (June, 2004).
19. E. Mäder, S.L. Gao, A. Rothe, "Characterization of Fibre/Matrix Interface Properties: Epoxy/PBO Composites", *Forschungszentrum Rossendorf, Hochfeldlabor. - Rossendorf*, (June, 2004).
20. E. Mäder, S.L. Gao, R. Plonka, R. Häßler, "Investigation On Adhesion, Interphases, And Failure Behaviour in CBT/Glass Fibre Composites", *Cyclics Corporation. - Schenectady, USA*, (February, 2004).
21. E. Mäder, R.Plonka, and S.L Gao, "Werkstoffeigenschaften langfaserverstärkter Thermoplaste beeinflusst durch Grenzflächen", *10. Nationales Symposium SAMPE Deutschland e.V., Tagungsband*, S. 1-11, Dresden, Germany, (February, 2004).
22. S.L Gao, E. Mäder, and R.Plonka, "Mapping Composite Interphase Properties – Elasticity and Electricity", *Interfaces and Interphases in Multicomponent Materials (IIMM2003)*, Balatonfüred, Hungary, (October, 2003) CD.
23. E. Mäder, S.L. Gao, and R. Plonka, "Coatings on alkali-resistant glass", *the 2nd textile reinforced structures colloquium*, Dresden, Germany, (September, 2003).
24. S.L. Gao, R. Plonka, E. Mäder, "Coatings for fiber and interphase modification in cementitious matrix", *DFG Symposium on Textile Concrete*, Dresden, Germany, (September, 2003).
25. S.L. Gao, "Coatings on alkali-resistant glass and interphase design", in *IPF*, Dresden, Germany, (September, 11, 2003).
26. J. Pristavok, W. Jenschke, E. Mäder, and S.L. Gao, "Cyclic loading of single fiber model composites to investigate interphase properties", *Second Symposium on Interfaces in Polymer Compos*, Orlando, FL, USA, (December, 2002).
27. S.L. Gao and E. Mäder, "Mapping elasticity and adhesion forces of composite interphase with the force volume nanoindentation", *Proc. 9th Intern. Conf. Compos. Inter. (ICCI-9)*, Quanzhou, China, (August, 2002).

28. S.L. Gao, E. Mäder, A. Abdkader and P. Offermann, "Influences of surface sizings on mechanical properties of alkali-resistant glass fibers", *Symposium on Melt Spinning of Polymers and Glass in Polymer Research*. Dresden, Germany, (May, 2002) 259.
29. S.L. Gao, R. Plonka and E. Mäder, "Measurement of fiber surface roughness and nanomechanical property variation of sizing using AFM techniques", *Proc. 7th Interfacial Phenomena in Compos Mater (IPCM-7)*, Arcachon, France, (September, 2001) 149.
30. S.L. Gao and E. Mäder, "Glass fiber/polymer composites containing heterogeneous interphase regions: impact and implication of AFM phase imaging and nanoindentation studies", *Proc. 7th Interfacial Phenomena in Compos. Mater. (IPCM-7)*, Arcachon, France, (September, 2001) 48.
31. S.L. Gao and E. Mäder, "Surface mechanical property variations in sized glass fiber and influence on performance of glass/polypropylene matrix composites", *Proc. 13th Intern. Conf. Composite Mater. (ICCM-13)*, Beijing, China, (July, 2001), CD paper number 1605.
32. E. Mäder, R Plonka, S.L.Gao, "Surface aging of sized glass fibers and its influence on the adhesion of composites", *3rd Intern. Symposium. Silanes. Agents*, NJ, USA, (June, 2001).
33. S.L. Gao, and E. Mäder, "Einfluss der Topographie und der chemischen Natur von Schichten auf die Grenzflächenwechselwirkung in glasfaserverstärktem Beton", Seminar at Dresden University of Technology, Germany, (January, 2001).
34. E. Mäder and S.L. Gao, "Prospect of nanoscale interphase evaluation to predict composites properties", *Intern. Symo. Interfaces Polym. Compos.*, Newark, USA, (November, 2000).
35. E. Mäder and S.L. Gao, "Greation and investigation of interphases to improve the mechanical performance of polymer matrix composites", *Proc. 8th Intern. Conf. Composite Interfaces. (ICCI-8)*, Cleveland, USA, (October, 2000).
36. S.L. Gao and J.K. Kim, "Effect of process cooling history on the interphase structure /properties relationship in carbon fiber/PEEK composites", *Preprints of 2nd. East Asian Polym. Conf. (EAPC-2)*, Hong Kong, China, (January, 1999) 331.
37. S.L. Gao and J.K. Kim, "Crystallinity and interphase properties of carbon fiber/PEEK matrix composites", *Proc. 12th Intern. Conf. Composite Mater. (ICCM-12)*, Paris, France, (July, 1999) 237.
38. S.L. Gao and J.K. Kim, "Effect of cooling rate on impact damage resistance of carbon fiber/PEEK laminates", *Proc. 8th European Conf. Composite Mater. (ECCM-8)*, I.C. Visconti, (Ed), Woodhead Pub. Ltd., Naples, Italy, (June, 1998) 95.
39. S.L. Gao and J.K. Kim, "Effect of cooling rate on interphase properties of carbon fiber /PEEK composites," *Proc. 1st. Asian-Australasian Conf. Composite Mater. (ACCM-1)*, Osaka, Japan. 1, (October, 1998) 207.

40. S.L. Gao and J.K. Kim, "Quantitative analysis of impact damage in CFRPs," in *IUMRS-ICA-97: Int. Conf. in Asia*, Chiba, Japan, (September, 1997). (Keynote).
41. S.L. Gao, J.K. Kim, and X.J. Xian, "Characterization of impact damage in CFRPs using a scanning acoustic microscope", *Proc. 11th Intern. Conf. Composite Mater. (ICCM-11)*, Gold Coast, Australia, M.L. Scott, (Ed), 6, (July, 1997) 185.