

PROVISIONAL LIST OF POSTERS (as of Aug. 27, 2009)

Note: PROVISIONAL - data/format to be checked

Titel	Autoren
Interaction of the Norovirus capsid protein P-domain with histo blood group antigens and DNA binding to Hepatitis A C3 proteinase	Bärbel S. Blaum and Thomas Peters
Characterisation of heparan sulfate binding sites in complement factor H	Bärbel S. Blaum ¹ , Andrew P. Herbert ¹ , Jon Deakin ² , Malcolm Lyon ² , Duan Uhrin ¹
Group epitope mapping considering relaxation of the ligand (GEM-CRL)	Sebastian Kemper, Mitul Patel, Benjamin G. Davis, Jonathan A. Jones, Timothy D. W. Claridge*
Investigation of molecular recognition processes in high performance liquid chromatography by suspended-state HR/MAS NMR spectroscopy	H. Yeman ¹ , V. Friebohn ¹ , M. Gradl ¹ , K. Albert ¹ , M.T. Matyska ² , J.J. Pesek ²
Computer- and NMR- based Drug Design for the Inhibition of Ras-Effector Interactions	Kreitner S 1, Spoerner M 1, Dove S 2, König B 3, Kalbitzer HR 1
Fragment-Based Screening against Human Blood Group B Galactosyltransferase	Christoph Rademacher 1, Jens Landström 2, Nora Sindhuwina 1, Monica M. Palcic 3, Göran Widmalm 2, Thomas Peters 1
Characterization of an enzyme reaction by STD NMR spectroscopy	Thomas Hackl, Iris G. Fransson and Bernd Meyer
BINDING OF NATURAL RECEPTOR FRAGMENTS AND INHIBITORS TO A HUMAN NOROVIRUS	B. Langpap a, C. Rademacher a, F. Parra b, M. Palcic c, J. Guiard d, P. Kitov d, D. Bundle d, T. Peters a
STD-NMR Investigation of Kinase-Peptide-Interaction	Christoph Räuber, Stefan Berger
Local structural changes in aluminium isopropoxide fluoride xerogels and solids as consequence of progressive fluorination degree	R. König, G. Scholz, E. Kemnitz
Catalytically active High-Surface Aluminiumfluoride and its Precursor - a Solid-State NMR Study.	Alf Pawlik, Christian Jäger, René König, Gudrun Scholz, Erhard Kemnitz
Solid-State ¹³ C MAS NMR Investigations of European Coals	Fu Chen, ¹ Eva Schieferstein, ² Jörg Matysik, ¹
THE COUPLING OF LIQUID CHROMATOGRAPHY AT CRITICAL CONDITIONS AND NMR. A NEW TOOL FOR THE CHARACTERIZATION OF POLYMERS	Wolf Hiller
Morphology and chain dynamics of silane crosslinked PE: an NMR study	Alexandra M. Olaru, Bernhard Blümich, and Alina Adams
Surface characterization of poly(divinyl benzene) microspheres by solid-state NMR	Marianne Gaborieau 1, Leena Nebhani 2, Christopher Barner-Kowollik 2, Leonie Barner 3, Robert Graf 1
Crosslink densities of silicone networks investigated by ¹ H low field double-quantum NMR and ¹ H MAS NMR.	Walter Chassé, Kay Saalwächter
Hyperpolarized ¹²⁹ Xe NMR Investigation of Porous Polymers	L. Utiu(1), C. Melian(1), S. Appelt(1,2) and B. Bluemich(1)
NMR Application to Follow Hydrolysis and Condensation of Silanes	Axel Kretschmer, Francois De Buyl
Starch-water interactions probed by solid-state NMR	Marianne Gaborieau 1,2, Robert Graf 1, Hans. W. Spiess 1, Michael J. Gidley 2
Milk Metabolomics in Dairy Cows during Early and Late Lactation	Matthias S. Klein, Martin Almstetter, Gregor Schlamberger, Katja Dettmer, Peter J. Oefner, Heinrich H.D. Meyer, Steffi Wiedemann, Wolfram Gronwald
Metabolic changes in a mouse model of an autoimmune disease	K. Seeger* a, M. Hirose b, N. Ishii b, R.J. Ludwig b, Detlef Zillikens b
How can sugars be used as a metabolic marker? - Insights into neural cell metabolism from NMR	Anika Gallinger (a), Thorsten Biet (a), Luc Pellerin (b), Thomas Peters (a)
A Bioreactor Setup for 5 mm High-Resolution Probes at 800 MHz	Paul Ramm 1,2, Werner Kremer 1, Ulrich Bogdahn 2, Ludwig Aigner 3, Hans Robert Kalbitzer 1
Characterization of diatom cell walls by solid-state NMR and Raman-Mapping	M. Kammer, R. Hedrich, S. Paasch, E. Brunner
Solid-state NMR investigations of skeletal formations from marine sponges	S. Paasch (1), H. Ehrlich (1), R. Hedrich (1), S. Hunoldt (1), S. Machill (1), P. Schupp (2), E. Brunner (1)
Chemical Kinetics of the Reaction of Pentavalent Arsenic Compounds with Glutathione	J. Kretzschmar, E. Brendler, A.-C. Schmidt
NMR Studies on Cu(III) intermediates in SN-reactions of Silicon Containig Organocuprates	M. Neumeier, T. Gärtner, R. M. Gschwind
Structure Determination of Small Molecules Using Residual Dipolar Couplings (RDCs)	Grit Kummerlöwe, Benedikt Crone, Daniel Intelmann, Thomas Hofmann, Stefan F. Kirsch, Burkhard Luy
NMR Spectroscopic Investigation of Keto-Enol Tautomerism of Tetracarbonyl Compounds	Dirk Michalik ^{1,2} , Stefanie Reim, ² Peter Langer ² , Haijun Jiao ¹
Investigation of anisotropic effects of quinoxaliny-, diketo- and ketosubstituted tetrahydrodicyclopentadienen	A. Lämmermann, H. Kühn, E. Kleinpeter

Paramagnetic NMR of Small Molecules: Catalyst Structure and Mechanism of Chiral Cobalt Salen Complexes Employed for Hydrolytic Kinetic Resolution	Sebastian Kemper, Peter Hrobárik, Martin Kaupp,* Nils E. Schlörer*
Aggregation of Dye Molecules Investigated by NMR Spectroscopy and Diffusometry	Richard Szopko(1), Markus Nilsson(2), Ingrid Aslund(2), Klaus Huber(1), and Claudia Schmidt(1)
Mental Food: Enjoy a New Book on Magic Natural Products	Stefan Berger and Dieter Sicker
NMR and MRI of (blood-) dissolved hyperpolarized ^{129}Xe	N. Amor (a), K. Hamilton (b), M. Küppers (a), T. Schmitz-Rohde (b), S. Appelt (c), B. Blümich (a)
MULTIDIMENSIONAL AUTOMATED PEAK VOLUME CALCULATION BASED ON THE LEVENBERG-MARQUARDT ALGORITHM	Wilhelm Malloni, Silvia De Sanctis, Konrad Brunner, Klaus-Peter Neidig, Hans Robert Kalbitzer
NORMALIZED SINGULAR SPECTRUM ANALYSIS FOR SOLVENT ARTIFACT REMOVAL FROM DIGITALLY FILTERED MULTI-DIMENSIONAL DATA	Silvia De Sanctis, Wilhelm Malloni, Elmar Lang, Claudia Munte, Klaus Peter Neidig, Hans Robert Kalbitzer
Catalyst generation monitored by HP NMR	Wolfgang Baumann,a) Detlef Selent,a) Hans-Joachim Drexler,a) Klaus-Diether Wiese,b) Burkard B. Kreidler,b) Robert Frankeb)
^{13}C DNP of biomolecules dissolved in water	Konstantin Gruss,a, Björn Dollmann,a, Lasse Jagschies,a,b, Laura M. Schreiber,b, Hans W. Spiess,a, Dariush Hinderberger,a, Kerstin Münnemann,a,b
Cation-anion interactions in ionic liquids	PD Dr. Ralf Giernoth, Sven Arenz, Yves Lingscheid
EASY ROESY, Reliable Cross Peak Integration in Adiabatic Symmetrized ROESY	Christina M. Thiele, Katja Petzold, Jürgen Schleucher
Ceramic Cells for High Pressure NMR Spectroscopy on Proteins	Markus Beck Erlach, Claudia Munte, Werner Kremer, Rainer Hartl, Dörte Rochelt, Dieter Niesner and Hans Robert Kalbitzer
Extraction, separation and identification of unknown flavonoids in <i>Graptophyllum pictum</i> leaves by HPLC-MS and microcoil NMR spectroscopy	Lisa Steinhauser 1, Oluyemi Olagbende-Dada 2, Manuela Gradl 1, Helen Yeman 1, and Klaus Albert 1
Interaction of PDZ2b domain of protein tyrosine phosphatase PTP-Bas with phosphoinositides	Aguiar M.B., Munte C.E., Kremer W., Penzkofer S., Kachel N.,and Kalbitzer H.R.
STD-DOSY: A method to simplify and analyze multi-component enzyme/substrate systems	Markus Kramer AND Erich Kleinpeter
Optimal control design of excitation pulses that accommodate relaxation and radiation damping	Yun Zhang, Michael Braun, Steffen Glaser
Untying Knots by NMR: generalization of an exponentially fast quantum algorithm and experimental implementation on 2- and 3-qubit NMR quantum computers	Nikolas Pomplun ¹ , Raimund Marx ¹ , Andreas Spörl ¹ , Amr F. Fahmy ² , John M. Myers ³ , Louis H. Kauffman ⁴ , Samuel J. Lomonaco, Jr. ⁵ , Thomas Schulte-Herbrüggen ¹ , and Steffen J. Glaser ¹
Predicting Phase Compositions of $\text{Ca}_{10}(\text{K},\text{Na})(\text{PO}_4)_7$ Melts by ^{31}P MAS NMR	T. Krahl(1), R. Gildenhaar(2), H. Kenning(2), G. Berger(2) and C. Jäger(1)
THE GENERATING FUNCTIONS FORMALISM FOR ANALYSIS OF SPIN RESPONSE TO LONG TRAINS OF PERIODIC RF PULSES	N. N. Lukzen, M. V. Petrova, A. A. Savelov, I. V. Koptuyug, R. Z. Sagdeev
NMR- and NBO-Calculations for neutral Ni(II) complexes	Andrea Frank 1, Andreas Berkefeld 2, Matthias Drexler 3, and Thomas Exner 1
MMM ? Multiscale Modeling of Macromolecular Systems	Gunnar Jeschke, Yevhen Polyhach, Enrica Bordignon
^{31}P MAS NMR on Functional Mitochondria: in situ Monitoring of Lipid Response under Apoptotic-like Stress	Marc-Antoine Sani 12, Olivier Keech ³ , Per Gardeström ³ , Erick J. Dufourc ² , Gerhard Gröbner ¹
Structural characterization of the von-Willebrand-factor-A-like domain (vWFA2) of type VII collagen by NMR	Sarah Leineweber and Karsten Seeger
The active center of Ras - Characterization by NMR and EPR studies	K. Stroka*#, F. Schumann*, M. Spoerner*, I. Rosnizeck*, H.R. Kalbitzer*, T. Prisner#
Structural Analysis of a C-terminal Cytosolic Domain of Polycystin-2	Maren Schmidt ¹ , Reto Bader ¹ , Frank Schumann ¹ , Helen Hofmeister ² , Ralph Witzgall ² und Hans Robert Kalbitzer ¹
2D NMR and DOSY Investigations on Host-Guest Systems, Containing Thiacalix[4]arenes and Metal Ion Complexes	Margit Gruner,a Asiya R. Mustafina,b Sofiya R. Kleshnina,b Aidar T. Gubaidullin, b Sergey A. Katsuba, b Vladimir A. Buriilov,b Svetlana E. Solovieva,b Wolf D. Habicher,a Igor S. Antipin,b and Alexandr I. Konovalov,b
Biocompatible, spin-labeled heparins as polarizing agents for dynamic nuclear polarization (DNP)	Björn C. Dollmann, Andrei L. Kleschyov, Vasily Sen, Valery Golubev, Laura M. Schreiber,§ Hans W. Spiess, Kerstin Münnemann,§, and Dariush Hinderberger,
Optimized reaction conditions for Parahydrogen Induced Polarization using hollow fibre membranes	Meike Roth, a; Joachim Bargon, b; Hans W. Spiess, a; Kerstin Münnemann, a
Hyperpolarization of ^{13}C in barbiturates via PHIP and polarization transfer	Meike Roth, a; Joachim Bargon, b; Achim Koch, a; Hans W. Spiess, a; Kerstin Münnemann, a
Ultrafast velocity mapping in planar micro-structures	Eva Paciok , Federico Casanova and Bernhard Blümich
Influence of the signal phase on the quantifiability of ^1H NMR signals	Yamini S. Avadhut[a], Denis Schneider[b], Jörn Schmedt auf der Günne*[a]
Structure Solution and Refinement of a Poly(Triazine Imide) with Solid-state NMR Crystallography	D. Gunzelmann (1), E. Wirnhier (2), W. Schnick (2), J. Senker (1)
The solid-state photo-CIDNP effect	Jörg Matysik

INVESTIGATION OF THE HINDERED NUCLEATION IN THE SYSTEM TRIPHENYLPHOSPHITE VIA SPIN DIFFUSION ¹³ C SOLID-STATE NMR AND COMPUTATIONAL METHODS	Marko Schmidt, Julia Wack, Jürgen Senker
FREQUENCY SWEPT PULSE SEQUENCES FOR ¹⁹ F HETERONUCLEAR DECOUPLING IN SOLID-STATE NMR	C. Vinod Chandran, Thomas Bräuniger
Signal loss in 1D magic-angle spinning exchange NMR (CODEX): radio-frequency limitations and intermediate motions	Christiane Hackel, Kay Saalwächter and Detlef Reichert
Solid-state NMR of diatom cell walls: The role of chitin	P. Richthammer, R. Hedrich, S. Paasch, S. Ueberlein, E. Brunner
PELDOR Reveals Cooperative Dynamic of Short DNA Molecules	A. Marko, D. Margraf, V. P. Denysenkov, P. Cekan, S. Th. Sigurdsson, O. Schiemann, and T. F. Prisner
Electronic structure of the triplet states in Photosystem II studied with EPR and ENDOR Spectroscopy	S. Prakash ¹ , M. Nowaczyk ² , J. Niklas ¹ , M. Müller ¹ , A.R. Holzwarth ¹ , W. Lubitz ¹
Synthesis, Characterization and Chemical Behaviour of Small Paramagnetic Pt Species inside Zeolites	Yasar Akdogan, Sankaran Anantharaman, Emil Roduner
Human Serum Albumin: A biological model system for DEER	Matthias Junk, Hans W. Spiess, Dariush Hinderberger
EPR/ENDOR study of the Cu(II) complex with glycose-oxazoline	Maxim Yulikov ¹ , Petra Lueders ¹ , Christian Risinger ² , Valentin Wittmann ² and Gunnar Jeschke ¹
Long range distance constraints obtained from the relaxation enhancement in a lanthanide- and nitroxide-labelled WALP23 polypeptide incorporated into a lipid bilayer	P. Lueders [#] , H. Jaeger [*] , M. Yulikov [#] , M. Hemminga [*] , G. Jeschke [#]
20 MHz ¹ H FT-NMR Spectroscopy	M. Cudaj ^{1,4} , G. Guthausen ² , A. Kamlowki ³ , D. Maier ³ , T. Hofe ⁴ , M. Wilhelm ¹
Conformational dynamics of the ADP-ribosylation factor 1 ([^Δ 17]Arf1) and its mutants (T48A) and (T48S)	Tanja E. Meierhofer, Maren Schmidt, Hans Robert Kalbitzer, Michael Spoerner
NMR observation of "quantized" defect structures in hydrogels	Frank Lange [*] , Kay Saalwächter
Investigation of linear and cyclic P [?] CL by means of low field NMR methods	Kerstin Schäler (a), Elena Ostas (b), Kay Saalwächter (a)
NH - Exchange Rate Investigations of Ubiquitin Variants	Nicole Jahr, Stefan Berger
Relaxation-relaxation exchange experiments in porous media with a portable Halbach-Magnet	A. Haber ⁽¹⁾ , M. Van Landeghem ^(1,2) , F. Casanova ⁽¹⁾ , B. Blümich ⁽¹⁾
Low field NMR measurements utilizing a High-Tc rf SQUID	Longqing Qiu ⁽²⁾ , Hui Dong ^(1,2) , Yi Zhang ⁽¹⁾ , Hans-Joachim Krause ⁽¹⁾ , Alex Braginski ⁽¹⁾
Chain Dynamics of Polymers Confined to Self-Ordered Nanoporous Alumina Membranes	Salim Oka, ^c Cornelius Franz ^b , Fabián Vaca Chávez ^b , Martin Steinharta, ^c Kay Saalwächter ^b
Surface, interface and bulk structure of borate containing apatitic biomaterials	S. Barheine, S. Hayakawa, A. Osaka, C. Jaeger
Solid State NMR study of multiwalled carbon nanotubes	A. Huber ¹ , A. Meyer-Plath ² , Ch. Jäger ¹