

| No. | |
|--|---|
| Filler Modification, Interfaces and Interphases | |
| 1 | Nanoparticle distribution in thin composite films of poly(N-isopropylacrylamide) and superparamagnetic nanoparticles Juliane Bunk, Sebastian Rauch , Astrid Drechsler, Petra Uhlmann, Reinhold Rennekamp, Manfred Stamm |
| 2 | Preparation of graphene nano-ribbons by chemical unzipping of carbon nano tubes C. Swetha, Thea I. W. Schnoor, L. A. S. A. Prado, K. Schulte. |
| 3 | Kaolin surface modification by polyhedral oligomeric silsesquioxanes M. A. Batistella , B. Otazaghine, S. H. Vahabi, J. M. Lopez-Cuesta, C. O. Petter. |
| 4 | Interfacial polymer/filler interactions affecting crystallization and complex segmental dynamics in poly(dimethylsiloxane) nanocomposites Panagiotis Klonos , Apostolos Kyritsis, Liliane Bokobza, Polycarpos Pissis |
| 5 | Comparative performance of nanosilica and calcium carbonate filler in polyurethane coating in inhibiting the migration of low molecular weight moieties to rubber-polyurethane interface Rafael Torregrosa-Coque, José Miguel Martín-Martínez |
| 6 | In situ sol-gel synthesis of silica filler to reinforce tires for automotive industry Laura Wahba , Massimiliano D'Arienzo, Raffaella Donetti, Franca Morazzoni, Roberto Scotti |
| Fillers in Elastomers | |
| 7 | Elastomer composites based on improved fumed silica and carbon black. Advantages of mixed reinforcing systems I. Mora-Barrantes , L. Ibarra, A. Rodríguez, J.L. Valentín |
| 8 | Characterisation of magnetorheological elastomers C. Hintze , G. Heinrich |
| 9 | Wetting behaviour of silica in rubber compounds M. Keller , H. H. Le, S. Ilisch, K. Oßwald, H.-J. Radosch |
| 10 | Mechanical properties of magneto sensitive elastomers in a homogeneous magnetic field: Particle distribution dependence Dmytro Ivaneyko, Vladimir Toshchevnikov, Marina Saphiannikova , Gert Heinrich |
| 11 | Nano-fillers for novel elastomeric materials K. W. Stöckelhuber , A. Das, R. Jurk, S. Rooj, J. J. George, K. Subramaniam, G. Kasaliwal, Th. Götzke, S. Richter, D.-J. Wang, A. Leuteritz, G. Heinrich |
| 12 | Polymer dynamics and crosslink density of SBR nanocomposites containing fillers with different surface area Anas Mujtaba , Melanie Keller, Sybill Ilisch, Hans-Joachim Radosch, Thomas Thurn-Albrecht, Kay Saalwächter, Mario Beiner |
| Functional Fillers | |
| 13 | TPU composites reinforced with graphite oxide Francesco Piana , Jürgen Pionteck |
| 14 | Zeolite as functional filler in active packaging Cs. Kenyó , K. Renner, B. Pukánszky |
| 15 | A comparative study of antibacterial effect of polypropylene composites with silver nanoparticles D. Garcia-Sanoguera , L. Sanchez-Nacher, V. Fombuena, J. Pascual, E. Fages |
| 16 | Electrokinetic properties of TiO ₂ -SiO ₂ and SiO ₂ /POSS type fillers Magdalena Nowacka , Teofil Jesionowski |
| 17 | Functional SiO ₂ /POSS nanofillers – Physicochemical, morphological and adsorptive properties Karolina Szwarc, Bogdan Marciniak, Filip Ciesielczyk , Teofil Jesionowski |
| 18 | Synthesis and properties of MgO-SiO ₂ /POSS hybrid systems Damian Ambrozewicz, Filip Ciesielczyk , Teofil Jesionowski |
| 19 | Magnesium hydroxide – Material inducing flame retardancy to polypropylene composites Agnieszka Pilarska, Marcin Wysokowski, Karol Bula, Lukasz Kłapiszewski , Teofil Jesionowski |
| 20 | The influence of calcination process on physicochemical properties of TiO ₂ -SiO ₂ oxide composites Katarzyna Siwinska-Stefanska, Teofil Jesionowski |

| | | |
|-----------------------|---|---|
| 21 | Synthetic CuO-SiO ₂ oxide system as a functional filler of polyester resins | Anna Modrzejewska-Sikorska, Damian Ambrozewicz, Lukasz Chrzanowski, Kamila Myszka, Katarzyna Czaczuk, Karol Bula, Teofil Jesionowski |
| 22 | MgO-SiO ₂ inorganic oxide systems as an effective agent in improving thermal stability of polypropylene | Filip Ciesielczyk, Magdalena Nowacka , Karol Bula, Teofil Jesionowski |
| 23 | Synthesis of boron-containing cyclohexanone formaldehyde resin | Pelin Dinçer , Nilgün Kizilcan |
| 24 | Synthesis of layered thin-scaly fluorosilicates from mining rocks | Lida A. Khachatryan, Naira B. Yeritsyan |
| 25 | Surface energetics measured by igc to determine the interaction of nanofillers with polymer matrices | D. J. Burnett, A. R. Garcia, A. Granier, B. Pellegrin, T. Nguyen |
| Nanocomposites | | |
| 26 | Mechanical properties and morphology behavior of polylactide (PLA)/linear low density polyethylene(LLDPE) blend nanocomposites | L. Ashabi, S. H. Jafari, H. A. Khonakdar , U. Wagenknecht |
| 27 | Thermal and thermo-oxidative degradation behavior of nanoclay-containing polypropylene/ poly(trimethylene terephthalate) blends | Ali Kalati Vahid, Seyed-Hassan Jafari, Hossein Ali Khonakdar , Udo Wagenknecht, Dieter Jehnichen |
| 28 | Rheology and morphology of polypropylene/ poly(trimethylene terephthalate) blends in presence of nanoclay particles | Parisa Saen, Hossein Ali Khonakdar, Azizollah Nodehi, Seyed Hassan Jafari, Udo Wagenknecht |
| 29 | Evaluation of curing kinetic parameters of epoxy/ polyaminoamide/nano-glassflake system by non-isothermal differential scanning calorimetry | Mehdi Ghaffari , Morteza Ehsani, Hossein Ali Khonakdar, Guy Van Assche, Herman Terry |
| 30 | Nanocomposites PVC with CNT create by concentrate method | Katarzyna Skórczewska , Jolanta Tomaszewska, Tomasz Sterzyński, Kazimierz Piszczek |
| 31 | Properties of nanoparticle reinforced industrial polyester fibers | Dilek Turan, Humeyra Sirin, Guralp Ozkoç, Sezen Gurdag, Nurcin Javaherian, Ali Vatanserver |
| 32 | Characterization and properties of new siloxane- or phosphorus-containing epoxy resin as binder for composites used in aviation industry | P. Murias , H. Galina, H. Maciejewski |
| 33 | Cross-linked composites of ethylene (co)polymers with modified organoclays for electro-technical applications | Stanislaw Kudla |
| 34 | Towards polymer-MWNTs-QD nanocomposites | Emrah Demir , Jürgen Pionteck, Ulrike Staudinger, Petra Pötschke, Brigitte Voit |
| 35 | Synthesis and characterization of transparent BaTiO ₃ /PDMS nanocomposites | Nasser Mohamed-Noriega , Julia Grothe, Stefan Kaskel |
| 36 | Halloysite nanotubes – A a new filler and compatibilization agent in polymer blends | Katarzyna Szpilska , Stanislaw Kudla |
| 37 | Influence of two kinds of organoclays in nylon6/polypropylene blends | Mohamed Mahdi Mnif, Belkacem Otazaghine, Rodolphe Sonnier, José-Marío Lopez-Cuesta, Michel Dumon, Olivier Mantoux |
| 38 | Local deformations in PA6 nanocomposites: Effect of clay modification | Zita Dominkovics, Elodie Naveau, Christine Jérôme, József Hári , Károly Renner, János Móczó, Michaël Alexandre, Béla Pukánszky |
| 39 | Structure/ Property correlations in the thermoplastic starch (TPS)/clay nanocomposite films | Erika Fekete , Éva Kapin, Péter Müller |
| 40 | Effect of talc filler on the percolation threshold in LLDPE/MWCNT composites | Michael Thomas Müller , Janine Dreyße, Beate Krause, Petra Pötschke |
| 41 | Preparation of layered double hydroxide/- polyethylene fibers in large scale | Burak Kutlu , Daniel Hung, Juliane Meinl, Andreas Leuteritz, Udo Wagenknecht, Gert Heinrich |
| 42 | Morphological and fracture behavior of nanoclay filled impact modified polyamide-6 ternary nanocomposites | Naresh Dayma , Bhabani K. Satapathy |

| | | |
|------------------------------------|--|---|
| 43 | Preparation and characterization of acetylated starch (PVOH)/clay nanocomposites | Katerina Katerinopoulou , Aris Giannakas, Athanasios Ladavos |
| 44 | Degradation behavior and thermal stability properties of epoxy resin/carbon black nanocomposites | Athanasios Kanapitsas, Haralampos Zois , Adamos Stimoniaris, Constantinos G. Delides |
| 45 | In situ preparation of resol/clay-nanocomposites | Gözde Özkaraman , Nilgün Kizilcan |
| 46 | Effect of alumina nanoparticles on the morphology and thermal stability of immiscible polymer blends | Fouad Laoutid , Damien Francois, Leila Bonnaud, Philippe Dubois |
| 47 | Improvement of thermal stability of nanosilica modified rigid poly(vinyl chloride) | Jolanta Tomaszewska , Tomasz Sterzynski |
| Compounding and Properties | | |
| 48 | Nanoparticles for composites combining easy processability and high electrical conductivity for use in PEM fuel cells | M. Grundler , T. Derieth, A. Heinzl |
| 49 | Injection Moulding of Carbon Short-Fibre Filled Pre-ceramic Polymer | A. Müller , J. Kaufhold, H. Klemm, T. Moritz |
| 50 | Rheology-morphology correlation in PET/PP blends: Influence of type of compatibilizer | H. A. Khonakdar , S. H. Jafari, M. Yousefi, S. Mirzadeh, M. Kalae |
| 51 | Effect of glass flake and mixing methods on thermal and mechanical properties of epoxy vinyl ester | Azam Ghadami, Morteza Ehsani, Mehdi Ghaffari |
| 52 | Laminates of polyhydroxybutyrate (PHB) with agave americana fiber | L. Sanchez Nacher, D. Garcia-Sanoguera , V. Fombuena, G. Abajo, M. Monzó |
| 53 | Influence of additives and filler on the electrostatic separation of polyolefin mixtures | Victoria Albrecht , Frank Simon, Uwe Gohs, Bernd Kretzschmar, Edith Reinsch, Urs A. Peuker |
| Rheology of Filled Polymers | | |
| 54 | Flow micro-calorimetry and FTIR spectroscopy study of interfacial interactions in filled polyurethane adhesives | Jessica Donate-Robles, Christopher M. Liauw , José Miguel Martín-Martínez |
| 55 | Potential of Neuburg siliceous earth as filler in polyurethane adhesives | Laure Hannebicque, Sonia Álvarez-García, José Miguel Martín-Martínez |
| 56 | Nonlinear viscoelasticity of filled polymer melts: Stress and strain amplification approach | Jan Domurath, Marina Saphiannikova , Gert Heinrich |
| Carbon Nanotubes | | |
| 57 | Dispersability of MWNTs in polymer solutions | Ulrike Staudinger , Beate Krause, Christine Goltzsche, Petra Pötschke, Gudrun Petzold, Brigitte Voit |
| 58 | Influence of ball milling on the properties of multiwalled carbon nanotubes and their polycarbonate composites | Beate Krause , Tobias Villmow, Mandy Mende, Gudrun Petzold, Petra Pötschke |
| 59 | A method for determination of length distributions of multiwalled carbon nanotubes before and after melt processing | Beate Krause , Regine Boldt, Petra Pötschke |
| 60 | Localisation of carbon nanotubes in polyamide blends with non-reactive rubber | B. Krause , C. Gibon, M. Weber, HJ. Park, P. Pötschke |
| 61 | Ultralow percolation in polyamide 66/carbon nanotube composites | Beate Krause , Regine Boldt, Liane Häußler, Petra Pötschke |
| 62 | The effect of addition of carbon nanofibers (CNFs) on thermal degradation of polypropylene at moderate and high temperatures | R. Balart, D. Garcia-Sanoguera, T. Boronat , J. Pascual, E. Fages |
| 63 | Polymer/carbon nanotube composites for liquid sensing: processing, properties and model for response characteristics | Tobias Villmow , Sven Pegel, Andreas John, Petra Pötschke, Gert Heinrich |
| 64 | Efficient stabilization of carbon nanotubes through supramolecular interactions with controlled polymer structures | Bart Dervaux , Franck Meyer, Jean-Marie Raquez, Olivier Coulombier, Philippe Dubois, Filip Du Prez |
| 65 | Shear dependent electrical and rheological properties of composites with combined fillers containing carbon nanotubes and carbon black | K. Hilarius , D. Lellinger, I. Alig, T. Villmow, S. Pegel, P. Pötschke |

| | | |
|---|---|---|
| 66 | Radical grafting of polyolefin onto MWCNTs: model compound approach | S. Akbar, E. Beyou, P. Cassagnau , P. Chaumont |
| Biofillers/Filled Biopolymers | | |
| 67 | Use of gluten as filling in composites based on ELO and jute reinforcements | R. Balart, O. Fenollar, T. Boronat, M.D. Samper, M. Zornoza |
| 68 | Synthesis of silica/lignin biocomposites | Lukasz Klapiszewski , Michal Królak, Teofil Jesionowski |
| 69 | Preparation and characterization of biodegradable thermoplastics using acetylated kraft lignin | H. Y. Jeong, S.T. Oh, S.H. Kim, Jongshin Park |
| 70 | Comparative study of dynamics of protein-water mixtures at wide ranges of composition | A. Panagopoulou , A. Kyritsis, R. Sabater i Serra, J. L. Gómez Ribelles, N. Shinyashiki, P. Pissis |
| 71 | Use of new silica fillers as additives for polymers used in packaging of fruits | Romina Arreche, Mirta Blanco, Patricia Vázquez, José Miguel Martín-Martínez |
| Processing and Applications of Filled Polymers | | |
| 72 | Influence of polymer matrix on thermal conductivity and mechanical properties of AlN ceramic/polymer composites | K. Nagata , Y. Sonoda, A. Matsuyama, Y. Hotta, K. Sato, M. Higuchi, T. Kinoshita |
| 73 | Production and characterization of modified PET foam | Tuncer Yalcinyuva, Bilge Cebisli , Nurseli Uyanik |
| 74 | Concentration profiles in functionally graded filled thermoset polymers processed by gravity sedimentation | Antonio J. Paleo, P. A. L. S. Martins, C. M. C. Roque, A. J. M. Ferreira, Paulo J. R. O. Nóvoa |
| 75 | The role of inorganic filler shape on some properties of polypropylene and poly(terephthalate butylene) composites | Karol Bula, Teofil Jesionowski |
| 76 | Processing and mechanical properties of PVC composites with wood fillers and nanosilica | Jolanta Tomaszewska , Stanislaw Zajchowski, Tomasz Sterzynski, Krzysztof Lewandowski |
| 77 | Nano and micro fillers modified with a fluoropolymeric layer as processing aid additives | Evgeny Denisov , Emanuele Di Nicolò, GiamBattista Besana, Marco Avataneo |
| 78 | Nanocomposites of poly(vinyl chloride) | T. Sterzynski |