

| # | Title | Authors |
|----|--|--|
| 1 | Characterization of stimuli responsive microgels with flow field-flow fractionation | P. Kodlekere, Wenjing Xu , A. Pich |
| 2 | Nanogels based on poly(methacrylic acid)/ polyacrylamide interpenetrating polymer networks as drug delivery system for verapamil hydrochloride | M. Simeonov, Susanne Boye , A. Lederer, E. Vassileva |
| 3 | Generic sample preparation procedure for isolating inorganic engineered nanoparticles from complex matrixes | Milica Velimirovic , St. Wagner, F. Abdolapur Monikh, F. von der Kammer, T. Hofmann |
| 4 | Asymmetric flow field-flow fractionation for characterization of highly concentrated conjugates of gold nanoparticles and antibodies | Irina V. Safenkova , E. S. Slutskaia, V. G. Panferov, A. V. Zherdev, B. B. Dzantiev |
| 5 | Determination of mass and density of nanomaterials using centrifugal field-flow fractionation, single particle ICP-MS and transmission electron microscopy | Soheyl Tadjiki , F. Meier, T. Pfaffe, E. Moldenhauer, Th. Klein |
| 6 | Large-scale synthesis and size characterization of silica nanoparticles using asymmetrical flow field-flow fractionation (AF4) | Sujeong Han , J. Choi, Y. Yoo, W.-j. Kim, E. Chang Jung, S. Lee |
| 7 | EI-FFF separation of nanoparticle mixtures | Farhad Shiri , K. E. Petersen, B. K. Gale |
| 8 | Hyphenation of field-flow fractionation and single particle ICP-MS for the assessment of number-based particle size distributions at ultratrace levels | Soheyl Tadjiki , T. Pfaffe, E. Moldenhauer, F. Meier, Th. Klein |
| 9 | AF-4 to characterize sulfated GAG building blocks for cell instructive biohybrid hydrogels | Susanne Boye , P. Atallah, U. Freudenberg, C. Werner |
| 10 | Analysis of thermoreversibly crosslinking polymer networks by temperature dependent size exclusion chromatography | Johannes Lenz , J. Brandt, K. Pahnke, Ch. Barner-Kowollik, F. Georg Schmidt, A. Lederer |
| 11 | Temperature dependent size exclusion chromatography for the in situ investigation of dynamic bonding/debonding reactions | Josef Brandt , N. K. Guimard, K. Pahnke, K. K. Öhlenschläger, Ch. Barner-Kowollik, F. Georg Schmidt, A. Lederer |
| 12 | A biohybrid topological diversity investigated by asymmetrical flow field-flow fractionation | Susanne Boye , F. Ennen, D. Appelhans, A. Lederer |
| 13 | Hydrodynamic characterization of functional poly(ethylene glycol)s by means of analytical ultracentrifugation and viscosimetry | Ivo Nischang , I. Perevyazko, U. S. Schubert |
| 14 | Synthesis and characterisation of a polythiophene-oligodeoxynucleotide block copolymer for the site-specific attachment to DNA origami | Johanna Zessin , S. Boye, F. Fischer, A. Heerwig, A. Kiriya, M. Mertig |
| 15 | Polysaccharide characterization by HF5 with on-line multi-angle static light scattering and differential refractometry | Leena Pitkänen , A. M. Striegel |
| 16 | Characterization of natural rubber samples via thermal field-flow-fractionation | G. Heinzmann, F. Meier, Evelin Moldenhauer , Th. Klein, S. Tadjiki |
| 17 | Multi-detector thermal field-flow fractionation of elastomers: Relating elastomer properties to the thermal diffusion coefficient | James D. Oliver , K. P. Bierbaum, S. K. R. Williams |
| 18 | Simultaneous in-situ monitoring of polymerization reactions via AF4 or SEC coupled with multidetectors | Chiu-Hun Su , C. T. Wang, C. H. Chen, J. Y. Hwang, L. D. Tsai |

| | | |
|----|---|--|
| 19 | Multidetector thermal field-flow fractionation as an innovative tool for microstructure separation of synthetic polymers | Guillaume Greyling , H. Pasch |
| 20 | Study on microgel-containing butadiene rubbers (BR) using thermal field-flow fractionation coupled with multi-angle light scattering (ThFFF-MALS) | Jaeyeong Choi , A-J. Kim, S. H. Lee, S. Lee |
| 21 | Optimisation and characterisation of the synthesis of mono- methoxy poly (ethylene glycol)-block-poly(4-vinyl pyridine) (PEG-b-P4VP) by asymmetric flow field-flow fractionation (AF4) and multiangle light scattering (MALS) | Catalina Fuentes , J. Castillo, L. Nilsson |
| 22 | Characterization of variously branched dendritic polyethylene by SEC-LS and AF4-LS | Laura Schlechte , S. Boye, R. Mundil, J. Merna, A. Juriju, J.-U. Sommer, A. Lederer |
| 23 | Straightforward analysis of PEG-peptide conjugates | Marcus Binner , M. Tsurkan, C. Werner |
| 24 | Characterization of polymeric vesicles by AF4 | Susanne Boye , D. Appelhans, A. Lederer |
| 25 | Characterization of plasma proteins and lipo-proteins using microchannel asymmetrical flow FFF | Soheyl Tadjiki , R. Reed, R. Welz, T. Pfaffe, F. Meier, R. Drexel, Th. Klein |
| 26 | Use of AF4 to study the conformation and stability of interferon-tau | Ryan R. Manning , R. E. Holcomb, R. W. Payne, B. M. Murphy, A. Tellechea, R. J. Krammes, N. S. Krammes, G. A. Wilson, M. C. Manning |
| 27 | Analysis of urinary exosomes by asymmetrical flow field-flow fractionation | Joon Seon Yang , M. H. Moon |
| 28 | Asymmetric flow field flow fractionation methods for virus purification | Katri Eskelin , M. Lampi, D. H. Bamford, H. M. Oksanen |
| 29 | Profiling of metalloproteins from plasma using miniaturized AF4 coupled with ICP-MS | Jin Yong Kim , H. B. Lim, M. H. Moon |
| 30 | Programming considerations in modified full feed depletion magnetic SPLITT device | Benno Kraft , P. Joshi, E. Boschke, J. J. Chalmers, M. Zborowski, L. R. Moore |
| 31 | Tunable polymersomes by pH-triggered encapsulation of rhodamine | Johanna Kerber , S. Boye, A. Lederer, H. Gumz, D. Appelhans |
| 32 | Analyzing enzyme encapsulation in smart polymersome nanoreactors | Hannes Gumz , V. Krönert, S. Boye, B. Voit, D. Appelhans |
| 33 | Bile salt micelles and phospholipid vesicles present in artificial and aspirated human intestinal fluids: A flow field-flow fractionation/ multi-angle laser light scattering-study | Philipp A. Elvang , A. H. Hinna, J. Brouwers, B. Hens, P. Augustijns, M. Brandl |
| 34 | AF4 characterization of nanoemulsions of lipid droplets covered by a monolayer of sphingomyelin and cholesterol | Valerija Vežočník , S. Sitar, K. Kogej, M. Tušek Žnidarič, K. Sepčič, D. Pahovnik, P. Maček, E. Žagar |
| 35 | Analysis of the protein corona using asymmetrical flow field-flow fractionation | Claudia Weber , C. Rosenauer, K. Mohr, K. Landfester, S. Winzen |
| 36 | Combining AF4-ICP-MS and SP-ICP-MS with XAS techniques for the characterization of soil colloids involved in the mobilization of arsenic | Miguel Angel Gomez-Gonzalez , E. Bolea, J. García-Guinea, F. Garrido, F. Laborda |
| 37 | Towards trace level analysis of silver nanoparticles in environmental samples using asymmetrical flow field-flow fractionation coupled with UV, DLS and ICP-MS | Florian Meier , A.-L. Grün, Ch. Emmerling, A. Antipov, S. Straskraba, M. Schmidt, C. Büchel, P. Diehl, Y. Kohl |

| | | |
|----|--|--|
| 38 | Analysis of low and intermediate sized beta-glucan from barley products and their relation to proteins and the consumers' health | Claudia Zielke , C. Teixeira, M. Nyman, L. Nilsson |
| 39 | Study of aptamer - Tetracycline complex by asymmetric flow field-flow fractionation | Irina V. Safenkova , E. S. Slutskeya, A. V. Samokhvalov, A. V. Zherdev, B. B. Dzantiev |
| 40 | Characterization of macromolecules in beer using asymmetrical flow field-flow fractionation (AF4) coupled with multi-angle light scattering (MALS) | Jaeyeong Choi , H. Dou, C. Zielke, L. Nilsson, S. Lee |
| 41 | Compositional effects on the association of casein | Norbert Raak , S. Boye, A. Lederer, H. Rohm, D. Jaros |
| 42 | Structural and conformational analysis of β -glucan from oat and barley using asymmetric flow field-flow fractionation (AF4) | Claudia Zielke , M.-L. Ainalem, A. Stradner, L. Nilsson |
| 43 | Recent advances in EI-SPLITT: A flow addition with porous electrode | K. E. Petersen, B. King, T. White, F. Shiri, J. L. Hood, S. A. Wickline, Bruce K. Gale |
| 44 | Development of continuous two-dimensional asymmetrical flow field-flow fractionation for particles: Principle, instrument development and applications | M. Jussila, K. Moslova, Pertti Vastamäki , M.-L. Riekkola |
| 45 | Semi-preparative asymmetrical flow field-flow fractionation for nanoparticle characterization | Carmen R. M. Bria , P. W. Skelly, A. A. Ashames, S. K. R. Williams |
| 46 | Ionic strength effect on retention behavior in sedimentation field-flow fractionation (SdFFF) | Sujeong Han , J. Choi, K. Rah, S. Lee |
| 47 | What are the assumptions behind the basic retention equation in FFF ? | Michel Martin |
| 48 | Covalent modification of ultrafiltration membranes for flow field-flow fractionation | Carmen R. M. Bria , F. C. Prehn, C. Martin, A. Sledgianowski, St. G. Boyes, S. K. R. Williams |
| 49 | Length selection and replication in a thermal flow chamber | Lorenz Keil , S. Lanzmich, M. Kreysing, M. Hartmann, D. Braun |
| 50 | Characterization of synthetic polymers in organic media using asymmetrical flow field-flow fractionation: Development of industrial applications | Mubasher A. Bashir , W. Gao, E. Mes |
| 51 | A definition of acoustophoretic mobility and the optimization of acoustic SPLITT fractionation | P. St. Williams, Mauricio Hoyos , M. Martin |
| 52 | Tuning the selectivity in AF4 by using patterned membranes | Maria Marioli , B. Kavurt, D. Stamatialis, W. Th. Kok |