

| Nr | Title | Authors |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| 1 | Synthesis and characterization of polymeric ionic liquids by AB step growth polymerization | M. Suckow, M. Roy, K. Sahre, L. Häußler, N. Singha, B. Voit, Frank Böhme |
| 2 | Hydrolytic degradation of biodegradable films based on poly(lactic acid)/poly(butylene succinate)/fatty acid blends | N. Ratsameetammajak, R. Molloy, Dieter Baurecht , R. Somsunan |
| 3 | Effect of additives on the crystallization behavior of poly(hydroxybutyrate-co-hydroxyhexanoate) | Shuhei Suzuki , H. Sashiwa, H. Sato |
| 4 | NMR studies to probe the interaction between thermoresponsive polymers and model drugs | Frank Termühlen , Monika S. |
| 5 | Phase separation behaviour of poly(ethylene glycol) and poly(propylene glycol) studied by ATR-FTIR spectroscopy | Hideyuki Shinzawa , J. Mizukado, S. G. Kazarian |
| 6 | Polarized ATR-IR spectroscopy investigation of supramolecular complexes of block copolymers into ultra-thin films | Marie Richard-Lacroix , K. Borozenko, C. G. Bazuin, Ch. Pellerin |
| 7 | Polymers as templates for Au and Au@Ag bimetallic nanorods: Investigation by surface enhanced Raman spectroscopy (SERS) | Dieter Fischer , R. Contreras-Caceres, C. Dawson, P. Uhlmann |
| 8 | Temperature-dependent FT-IR and Raman imaging spectroscopy investigation of phase separation in the polymer blend PHB/PLA | Dieter Fischer , M. Unger, H. Sato, Y. Ozaki, H. W. Siesler |
| 9 | Identification of microplastics in marine samples by Raman microspectroscopy | Dieter Fischer , A. Käßler, J. Mücke, S. Oberbeckmann, M. Labrenz, K.-J. Eichhorn, B. Voit |
| 10 | Turbidimetry and fluorescence study of effect of hyaluronan addition to cationic micellar solution | Tereza Pilgrová , P. Holínková, M. Pekař |
| 11 | Fluorescence anisotropy study of microstructural changes of hyaluronan-cetyltrimethylammonium bromide hydrogel | Petra Holínková , F. Mravec, M. Pekař |
| 12 | Functionalization of SEIRA substrates towards biosensing | F. Rösicke, Ch. Kratz, T. Shaykhutdinov, J. Rappich, Karsten Hinrichs |
| 13 | Polymer and hybrid photonic crystals | Giovanni Manfredi , P. Lova, C. Bastianini, P. Giusto, D. Comoretto |
| 14 | in-situ-ATR-FTIR Spectroscopy at polypeptide and polyelectrolyte based coatings | Martin Müller , B. Urban, D. Vehlow, B. Torger, M. L. Möller |
| 15 | FTIR detection of drug release from polyelectrolyte complex coatings | David Vehlow , B. Urban, M. Möller, B. Torger, M. Müller |
| 16 | Characterization of thin bioinspired polydopamine films by in-situ-ATR-FTIR spectroscopy | D. Vehlow, B. Urban, Martin Müller |
| 17 | Nanostructured biocomposites based FLAX Fibers | Rabiah Hajji |
| 18 | Singlet oxygen dynamics and bactericidal effect of photofunctional polymer | Kang-Kyun Wang , Y.-R. Kim |
| 19 | Appropriate operating conditions of cyclones for HDPE drying process | S. A. Razavi Alavi, Ebrahim Nemati Lay , S. K. Afzali |
| 20 | In-situ FT-IR study of the reaction kinetics of divinyl siloxane bis-benzocyclobutene in solid state and modeling of the polymerization process | F. Windrich, Mikhail Malanin , K.-J. Eichhorn, B. Voit |

| | | |
|----|------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| 21 | Sulfur-overrich polythiophenes for BHJ solar cells | Elisabetta Salatelli , F. Di Maria, M. Lanzi, M. Marinelli, L. Zuppiroli |
| 22 | Raman structural characterization of "neck region" for films of single-crystal mats of ultrahigh molecular weight linear polyethylene | K. A. Prokhorov, Elena A. Sagitova , G. Yu. Nikolaeva, P. P. Pashinin, S. N. Chvalun |
| 23 | Adhesion control in semiconductor processing via Fourier transform infrared spectroscopy | Marko Omazic , G. Oreski, M. Pinczolits, M. Erceg, G. Pinter |
| 24 | Stretch-induced crystalline phase transition of poly(butylene succinate) by Terahertz spectroscopy | Seika Tatsuoka , Y. Ozaki, H. Hoshina, H. Sato |
| 25 | Nano-scale morphological analyses of PEG-based polyacrylate gel | Bing Wu , M. Tian, J. Xu, J. Li, D. Brougham, V. M. Litvinov |
| 26 | Investigation of rubber network structure by using low-field nuclear magnetic resonance spectroscopy | Beatriz Basterra-Beroiz , R. Rommel, F. Kayser, S. Westermann, J. L. Valentín, G. Heinrich |
| 27 | NMR study of thermoresponsive polyoxazoline homopolymers and copolymers in aqueous solution | Rafał Konefał , J. Spevacek, P. Černoč |
| 28 | L-NMR used for the characterization of polymers | Monique F. H. Ensink , H. Linssen |
| 29 | FCS Nanorheology of biopolymeric hydrogels - a novel approach to study passive rheology of hydrogels | Jakub Mondek , M. Pekař |
| 30 | Mapping the nanostructural heterogeneity of network polymers using AFM-IR and nano-thermal analysis | Suzanne Morsch , S. Gibbon, S.t Lyon |
| 31 | Characterization of poly (ϵ -caprolactone) by using terahertz imaging | Chihiro Funaki , T. Toyouchi, H. Hoshina, Y. Ozaki, H. Sato |
| 32 | IR/NIR spectroscopic birefringence imaging of polymeric spherulite | Yuta Hikima , R. Mitsui, M. Ohshima |
| 33 | Matrix-assisted laser ionization/Desorption mass spectrometric study of the 4,4'-diphenylmethane-diisocyanate and polyol uncatalyzed reactions | Borbála Antal , T. Nagy, A. Dékány-Adamoczký, J. Karger-Kocsis, M. Zsuga, S. Kéki |
| 34 | Easy access to the characteristic ratio of polymers using ion-mobility mass spectrometry | Shinsuke Kokubo , Ph. Vana |
| 35 | XPS depth profiling by cluster ion sources for characterization of polymers, organic and composite materials | Andrey Lyapin, Stefanie Zauzig |