

## List of publications (March 2015)

### 1988 - 1990

1. H. Komber, G. Großmann, A. Kretschmer  
 $^1\text{H}$ -,  $^{13}\text{C}$ - und  $^{31}\text{P}$ -NMR-spektroskopische Untersuchungen an Bis(dialkoxythio-phosphoryl)- und -  
(dialkoxyphosphoryl)-sulfanen und -polysulfanen  
Phosphorus and Sulfur **35**, 335 - 343 (1988)
2. H. Komber, G. Großmann  
Bestimmung des Vorzeichens der Hyperfeinstruktur-Kopplungskonstante  $a_{\text{P}}$  in Dialkoxy-  
dithiophosphoryl-Radikalen mittels  $^{31}\text{P}$ - und  $^{13}\text{C}$ -CIDNP  
Zeitschrift für Chemie **29**, 24 - 25 (1989)
3. G. Großmann, H. Komber, H. Kroschwitz, D. G. Pobedimskii, N. A. Mukmeneva  
NMR-spektroskopische und polarographische Untersuchung der Zersetzungsreaktion von  
Cumylhydroperoxid durch Dithiophosphorsäuren (russ.)  
Isv. Akad. Nauk SSSR, Ser. Khim. **1989**, 34 - 41
4. H. Komber, F. Böhme, D. Pospiech, M. Rätzsch  
 $^{13}\text{C}$  NMR analysis of poly(m-phenylene terephthalate - *co* - oxybenzoate)s: main-chain and  
end-group resonance assignments and sequence distribution  
Makromolekulare Chemie **191**, 2675 - 2684 (1990)

### 1991 - 1995

5. H. Komber, G. Großmann, A. Petr, D. G. Pobedimskii  
 $^{31}\text{P}$ -CIDNP Investigations of the Reaction of O,O-Dialkyl Dithiophosphoric Acid with Cumyl  
Hydroperoxide  
Polymer Degradation and Stability **32**, 249 - 259 (1991)
6. G. Großmann, H. Komber  
NMR Investigations on diastereomeric mixtures of bis(dialkoxythiophosphoryl)sulfanes and -  
polysulfanes containing *sec.* butoxy groups.  
Assignment of  $^{31}\text{P}$ ,  $^{13}\text{C}$  and  $^1\text{H}$  NMR signals in a mixture of seven diastereomers using shift-  
correlated 2D NMR spectra  
Phosphorus, Sulfur, and Silicon **61**, 269 - 281 (1991)

7. H. Komber, L. Jakisch, S. Zschoche, H. Möbus, M. Rätzsch, D. Scheller  
The stereochemistry of the succinimide unit in alkene/N-methylmaleimide copolymers investigated by  $^{15}\text{N}$  NMR spectroscopy  
Makromol. Chemie, Rapid Communications **12**, 547 - 552 (1991)
8. G. Pompe, E. Meyer, H. Komber, H. Hamann  
Influence of PBT crystallization on miscibility degree of amorphous phase in PC/PBT melt blends  
Thermochimica Acta **187**, 185 - 200 (1991)
9. W. A. Herrmann, W. Wagner, U. N. Flessner, U. Volkhardt, H. Komber  
Methyltrioxorhenium als Katalysator für die Olefin-Metathese  
Angewandte Chemie **103**, 1704 - 1706 (1991)  
Angewandte Chemie, Int. Ed. Engl. **30**, 1636 - 1638 (1991)
10. H. Komber, V. Steinert, S. Zschoche, M. Rätzsch, G. Großmann  
NMR Spectroscopic Characterization of Maleic Anhydride -  $\alpha$ -Methylstyrene Adducts  
Magnetic Resonance in Chemistry **30**, 207 - 215 (1992)
11. G. Großmann, B. Schwab, A. John, H. Komber, G. Jeschke, J. Sieler  
Crystal structure, solid state NMR, and quantum chemical model calculations of bis-(diethoxythiophosphoryl)-trisulfane  
Phosphorus, Sulfur, and Silicon, **78**, 297 - 308 (1993)
12. G. Großmann, H. Komber  
NMR Investigations on Diastereomeric Mixtures of Bis(Dialkoxyphosphoryl) Sulfanes and Polysulfanes  
Main Group Chemistry News, **1**, 6 - 15 (1993)
13. S. Bauer, W. Ren, S. Yilmaz, W. Wirges, W.-D. Molzow, R. Gerhard-Mulhaupt, U. Oertel, B. Hänel, L. Häußler, H. Komber, K. Lunkwitz  
Nonlinear optical side-chain polymer with high thermal stability and its pyroelectric thermal analysis  
Appl. Phys. Lett., **63**, 2018 - 2020 (1993)

14. M. Rillich, H. Komber, F. Böhme  
Polymers containing formamidine groups  
1. Synthesis and characterization of aliphatic polyformamidines  
Polym. Bull., **31**, 381 -385 (1993)
15. H. Komber, G. Großmann  
A conformational study of bis(5,5-dimethyl-2-X-1,3,2-dioxaphosphorinan-2-yl) sulfanes and polysulfanes using NMR and IR spectroscopy  
Phosphorus, Sulfur, and Silicon, **83**, 233 - 242 (1993)
16. R. Gerhard-Multhaupt, S. Bauer, W.-D. Molzow, W. Ren, W. Wirges, S. Yilmaz, U. Oertel, L. Häußler, H. Komber, K. Lunkwitz  
Electro-optical and pyroelectrical thermal analysis of novel nonlinear optical side-chain polymers with high thermal stability  
Proc. SPIE, Band 2042, 384 - 391 (1993)
17. D. Pospiech, H. Komber, D. Voigt, L. Häußler, E. Meyer, G. Schauer, D. Jehnichen, F. Böhme  
Thermotropic elastomers with poly(oxy-1,4-butanediyl) units in the main chain  
Makromol. Chem. Phys., **195**, 2633 - 2651 (1994)
18. F. Böhme, H. Komber, D. Leistner, M. Rätzsch  
A modified synthesis of liquid-crystalline poly(ethylene terephthalate-co-oxybenzoate)s with completely random chain structures  
Macromol. Chem. Phys., **195**, 3233 - 3243 (1994)
19. M. Rillich, L. Häußler, H. Komber, F. Wittig, F. Böhme  
Polymers containing formamidine groups  
2. Synthesis of polyformamidines derived from triethyl orthoformate and aromatic diamines  
Polymer Bulletin, **33**, 397 -404 (1994)
20. M. J. Potrzebowski, G. Großmann, J. Blaszczyk, M. W. Wiczorek, J. Sieler, P. Knopik, H. Komber  
X-Ray and Solid State NMR Studies of Bis(5,5-dimethyl-2-thioxo-1,3,2-dioxaphosphorinan-2-yl) Disulfide and Diselenide  
Inorg. Chem. **33**, 4688 - 4695 (1994)

21. H. Komber  
The  $^1\text{H}$  and  $^{13}\text{C}$  NMR spectra of alternating ethene-maleic anhydride copolymer and the corresponding diacid and sodium salt  
Macromol. Chem. Phys., **196**, 669 - 678 (1995)
22. M. Gedan-Smolka, D. Jehnichen, H. Komber, D. Voigt, F. Böhme, M. Rätzsch  
Fully aromatic copoly(ester-imide)s with high thermal stability  
Angew. Makromol. Chem., **229**, 159 -174 (1995)
23. M. Rillich, D. Jehnichen, H. Komber, F. Böhme  
Polymers containing formamidine groups  
4. Copolyformamidines prepared from triethyl orthoformate, benzidine and various diamines  
Macromol. Chem. Phys., **196**, 1635 - 1644 (1995)
24. F. Böhme, M. Rillich, H. Komber  
Polymers containing formamidine groups  
5. Formation of a cyclic formamidine trimer by the condensation reaction of 2,6-diaminopyridine with triethyl orthoformate  
Macromol. Chem. Phys., **196** (10), 3209 - 3216 (1995)
25. H. Komber  
NMR Conformational Study of the Neutralisation of *meso*- and *racemic*-2,3-Dimethyl- and 2,3-Diethylsuccinic Acid in Aqueous Solution  
J. Chem. Soc., Perkin Trans. 2, **1995**, 1923 - 1927
26. T. Uhlich, G. Tomaschewski, H. Komber  
Synthesis of a Hydrophobised and Photocrosslinkable Prepolymer Based on Poly(vinyl alcohol)  
Reactive & Functional Polymers, **28**, 55 - 60 (1995)

**1996 - 2000**

27. H. Komber  
The  $^1\text{H}$  and  $^{13}\text{C}$  NMR spectra of alternating isobutene/maleic anhydride copolymer and the corresponding acid and sodium salt - a stereochemical analysis  
Macromol. Chem. Phys., **197** (1), 343 - 353 (1996)

28. T. Rische, S. Zschoche, H. Komber  
Grafting of maleic anhydride onto poly(tetrahydrofuran)  
Macromol. Chem. Phys., **197** (3), 981 - 990 (1996)
29. S. Reinhardt, H. Komber, V. Steinert  
Investigations on the dissociation behaviour of hydrolyzed alternating copolymers of maleic anhydride and alkenes -  $^{13}\text{C}$  NMR spectra and potentiometric titrations  
J. Polym. Sci., Chem. Ed., 34 (12), 2415 - 2419 (1996)
30. D. Pospiech, L. Häußler, H. Komber, D. Voigt, D. Jehnichen, A. Janke, A. Baier, K. Eckstein, F. Böhme  
LC multiblock copolymers containing polysulfone segments: 1. Synthesis and morphology  
J. Appl. Polymer Sci, 62 (11), 1819 - 1833 (1996)
31. H. Komber, C. Klinger, F. Böhme  
 $^1\text{H}$ ,  $^{13}\text{C}$  and  $^{15}\text{N}$  nuclear magnetic resonance studies of polyamidines prepared from di(4,4'-aminophenyl) methane and different triethyl orthoesters - polymers with a prototropic tautomerism  
Polymer, 38 (11), 2603 - 2608 (1997)
32. M. Gedan-Smolka, D. Lehmann, S. Cetin, H. Komber  
Kombinierte Härtung von Pulverlacken: Neuartige Vernetzungs-mechanismen zur Steuerung der Filmbildung  
Farbe + Lack, 103, 48 - 56 (1997)
33. K.-J. Eichhorn, D. Voigt, H. Komber, D. Pospiech  
Characterization of a poly(ethersulfone) by on-line coupling of size exclusion chromatography with NMR and FTIR spectroscopy  
Macromol. Symp., 119, 325 - 338 (1997)
34. J. Nagel, U. Oertel, P. Friedel, H. Komber, D. Möbius  
Langmuir-Blodgett layers from Schiff base Copper(II) complexes  
Langmuir, 13 (17), 4693 - 4698 (1997)

35. H. Komber, C. Klinger, F. Böhme  
A  $^{15}\text{N}$  CPMAS study of  $\text{N}^1, \text{N}^2$ -diarylsubstituted polyformamide, polyacetamides and polybenzamide and model compounds  
Macromolecules, 30 (25) 8066 - 8068 (1997)
36. D. Pospiech, K. Eckstein, H. Komber, D. Voigt, F. Böhme, H. R. Kricheldorf  
The use of melt polycondensation for synthesis of LC multiblock copolymers  
Polym. Prepr., 38 (2), 398 - 399 (1997)
37. K. Werner, H. Komber, S. Reinhardt, V. Steinert  
Solution behaviour of hydrophobically modified hydrolysed alternating copolymers of maleic anhydride and propene  
European Polymer Journal, 34 (3-4), 327-333 (1998)
38. H. Komber, M. Gruner, H. Malz  
 $^1\text{H}$  and  $^{13}\text{C}$  signal assignment for the 4-phenyl-1,2,3,4-tetrahydronaphthyl end-group of autopolymerized polystyrene  
Macromol. Chem. Phys., Rapid Commun., 19 (2), 83 - 88 (1998)
39. H. Malz, H. Komber, D. Voigt, J. Pionteck  
Reactions for selective elimination of TEMPO-end groups in polystyrene  
Macromol. Chem. Phys., 199 (4), 583 - 588 (1998)
40. F. Böhme, C. Kunert, C. Klinger, H. Komber  
Structural influences on the properties of aromatic polyamides  
Macromolecular Symposia, 128, 183 - 193 (1998)
41. F. Böhme, C. Klinger, H. Komber, L. Häußler, D. Jehnichen  
Synthesis and properties of polyamides  
J. Polym. Sci., Part A: Polym. Chem., 36, 929 - 938 (1998)
42. J. Luston, F. Böhme, H. Komber, G. Pompe  
Unsaturated 2-oxazoline modification of polyethylene containing carboxylic groups  
J. Macromol. Sci., Pure Appl. Chem., A35(7&8), 1045-1054 (1998)

43. D. Pospiech, L. Häußler, K. Eckstein, H. Komber, D. Voigt, D. Jehnichen, E. Meyer, A. Janke, H. R. Kricheldorf  
Design of poly(ester imide)/polysulfone multiblock copolymers and their property profiles  
Designed Monomers and Polymers, 1, 187 - 206 (1998)
44. T. Rische, S. Zschoche, H. Komber  
Structure of grafted products of maleic anhydride and poly(propylene oxide)  
Macromol. Chem. Phys., 199, 1539 - 1545 (1998)
45. G. Maier, C. Zech, B. Voit, H. Komber  
An approach to hyperbranched polymers with a degree of branching of 100%  
Macromol. Chem. Phys., 199 (12), 2655 - 2664 (1998)
46. T. Huber, F. Böhme, H. Komber, J. Kronek, J. Luston, D. Voigt, B. Voit  
New hyperbranched poly(etheramide)s via nucleophilic ring opening of 2-oxazoline containing monomers  
Macromol. Chem. Phys., 200, 126-133 (1999)
47. H.-J. Adler, P. Fischer, A. Heller, I. Jansen, D. Kuckling, H. Komber, D. Lehmann, J. Piontek, D. Pleul, F. Simon  
a) Makromolekulare Chemie 1998  
b) Trends in polymer chemistry 1998  
a) Nachr. Chem. Tech. Lab. 47 (2), 203 -208 (1999)  
b) Acta Polym., 50 (7), 232 -239 (1999)
48. D. Pospiech, K. Eckstein, L. Häußler, H. Komber; K. Grundke, F. Simon, H.-J. Jacobasch  
Hydrophilation of Polysulfone by Formation of Segmented Block Copolymers  
Macromol. Chem. Phys., 200 (6), 1311-1325 (1999)
49. J. Luston, F. Böhme, H. Komber, G. Pompe  
Unsaturated 2-oxazoline end-capping of liquid crystalline polyester by reactive processing and in a solution  
J. Appl. Polym. Sci., 72 (8), 1047 - 1053 (1999)

50. M. Köthe, M. Müller, F. Simon, H. Komber, H.-J. Jacobasch, H.-J. Adler  
Examination of poly(butadiene epoxide)-coatings on inorganic surfaces  
Colloides and Surfaces, Part A: Physicochem. Eng. Aspects, 154 (1-2), 75 - 85 (1999)
51. H. Malz, H. Komber, D. Voigt, I. Hopfe, J. Pionteck  
Synthesis of functional polymers by atom transfer radical polymerization  
Macromol. Chem. Phys., 200 (3), 642 - 651 (1999)
52. J. Luston, J. Kronek, F. Böhme, H. Komber  
Synthesis of bis-2-oxazolines containing inner unsaturation and their hydrolysis to phenylene bis-acrylic acids  
Designed Monomers and Polymers, 2, 61 - 68 (1999)
53. D. Schmaljohann, H. Komber, B. I. Voit  
Conversion dependence of the structural units and the degree of branching of a hyperbranched polyester based on 4,4-bis-(4'-hydroxyphenyl)pentanoic acid determined by NMR spectroscopy  
Polymer Preprints, 40 (1), 580 - 581 (1999)
54. D. Schmaljohann, H. Komber, B. Voit  
Conversion dependence of the structural units and the degree of branching of a hyperbranched polyester based on 4,4-bis-(4'-hydroxyphenyl)pentanoic acid determined by NMR spectroscopy  
Acta Polymerica, 50, 196 - 204 (1999)
55. L. Jakisch, F. Böhme, H. Komber, G. Pompe  
Synthesis and thermal polymerization of aromatic 2-oxazolines containing carboxylic groups  
Macromol. Chem. Phys., Rapid Commun., 20 (5), 256 - 260 (1999)
56. J. Luston, F. Böhme, H. Komber  
Synthesis of 2-oxazolines containing allyl groups by phase transfer catalysis  
Designed Monomers and Polymers, 2 (4), 325 - 331 (1999)



57. I. Voigt, F. Simon, H. Komber, H.-J. Jacobasch, S. Spange  
Controlled Synthesis of Stable Polyvinylamine/Silica Hybrid Particles by Interfacial Post-Crosslinking-Reactions  
Coll. & Polym. Sci., 278 (1), 48 - 56 (2000)
58. L. Jakisch, H. Komber, L. Häußler, F. Böhme  
A new Bifunctional Coupling Agent: Synthesis and Model Reactions  
Macromol. Symp., 149, 237 - 243 (2000)
59. D. Schmaljohann, J. G. Barratt, H. Komber, B. Voit  
Kinetics of non-ideal Hyperbranched Polymerizations, 1. Simulation of the Structural Units and the Diads  
Macromolecules, 33(17), 6284-6294 (2000)
60. A. Kaya, L. Jakisch, H. Komber, G. Pompe, J. Pionteck, B. Voit, U. Schulze  
Synthesis of oxazoline functionalized polypropene using metallocene catalysts  
Macromol. Rapid Comm., 21(17), 1267-1271 (2000)
61. D. Appelhans, H. Komber, D. Voigt, L. Häußler, B. I. Voit  
Synthesis and Characterization of Poly(ether amide) Dendrimers Based on Different Core Molecules  
Macromolecules, 33(26), 9494-9503 (2000)
62. D. Pospiech, L. Häußler, K. Eckstein, H. Komber, D. Voigt, A. Janke, A. Gottwald, D. Jehnichen, H. R. Kricheldorf  
LCP - polysulfone multiblock copolymers: Combination of high performance polymers  
in „Functional Materials“, Series Euromat99, Ed. Grassie, K. et al., ISBN 3-527-30254-9 Wiley-VCH, Weinheim, 2000, 292-297
63. G. Maier, C. Zech, B. Voit, H. Komber  
Perfectly branched hyperbranched polymers  
in “Tailored Polymer & Applications”, Eds. Y. Yagci et al., ISBN 90-6764-326-2 VSP, Utrecht, 2000, 99 - 110

**2001 - 2005**

64. M. Eigner, H. Komber, B. Voit  
Hyperbranched poly(triazene ester)s as novel globular photolabile and thermolabile polymers  
Macromol. Chem. Phys., 202 (2), 245-256 (2001)
65. G. Maier, C. Zech, B. Voit, H. Komber  
Hyperbranched Polymers with a Degree of Branching of 100%  
Macromol. Symp., 163, 75 - 86 (2001) - ISSN: 1022-1360 (Wiley-VCH Verlag GmbH)
66. J. Luston, J. Kronek, F. Böhme, H. Komber  
Azo-Group Labelled Polyesters by End-Capping with 2-Oxazoline Derivatives - Preparation  
Macromol. Symp., 164, 105 - 115 (2001) - ISBN (Wiley-VCH Verlag GmbH)
67. O. Monticelli, A. Mariani, B. Voit, H. Komber, R. Mendichi, V. Pitto, D. Tabuani, S. Russo  
Hyperbranched aramids by the  $A_2 + B_3$  vs.  $AB_2$  approach: influence of the reaction conditions on structural development  
High Perform. Polym., 13 (2), S45 - S59 (2001)
68. D. Pospiech, L. Häußler, K. Eckstein, H. Komber, D. Voigt, D. Jehnichen, P. Friedel, A. Gottwald, W. Kollig, H. R. Kricheldorf  
Synthesis and phase separation behavior of high performance multiblock copolymers  
High Perform. Polym., 13 (2), S275 - S292 (2001)
69. C. Kunert, D. Voigt, P. Friedel, H. Komber, F. Böhme  
Polymers containing Formamidine Groups. VI. Structural Influences on the Formation of Cyclic Trimers  
J. Polym. Sci.: Part A: Polym. Chem. 39, 1280 - 1287 (2001)
70. D. Schmaljohann, J. G. Barratt, H. Komber, D. Appelhans, B. I. Voit  
Kinetic Studies and Numerical Modeling of Nonideal Hyperbranched Polycondensation Reaction  
Polymer Materials: Science & Engineering 84, 526 - 527 (2001) (ISBN 0-8412-3787-5).

71. H. Komber, B. Voit, O. Monticelli, S. Russo  
NMR Studies on a Hyperbranched Aromatic Polyamide from A<sub>2</sub> and B<sub>3</sub> Monomers: Structure and Interactions with Lithium Salts  
Polymer Materials: Science & Engineering 84, 557 - 558 (2001) (ISBN 0-8412-3787-5).
72. H. Komber, B. Voit, O. Monticelli, S. Russo  
<sup>1</sup>H and <sup>13</sup>C NMR Spectra of a Hyperbranched Aromatic Polyamide from p-Phenylene-diamine and Trimesic acid  
Macromolecules, 34 (16), 5487 - 5493 (2001)
73. A. Kaya, L. Jakisch, H. Komber, D. Voigt, J. Pionteck, B. Voit, U. Schulze  
Synthesis of Various Functional Propylene Copolymers Using *rac*-Et[1-Ind]<sub>2</sub>ZrCl<sub>2</sub>/MAO as the Catalyst System  
Macromol. Rapid Commun., 22(12), 972-977 (2001)
74. H. Malz, J. Pionteck, P. Pötschke, H. Komber, D. Voigt, J. Luston, F. Böhme  
2-Oxazoline terminated polystyrene by atom transfer radical polymerization  
Macromol. Chem. Phys., 202 (12), 2148-2154 (2001)
75. J. Kronek, J. Luston, F. Böhme, H. Komber  
Azo-Group Labelled Polyesters by End-Capping with 2-Oxazoline Derivatives – Photochemical Properties  
Macromol. Symp., 170, 301 – 310 (2001)
76. A. V. Tenkovtsev, A. V. Yakimansky, M. M. Dudkina, V. V. Lukoshkin, H. Komber, L. Häussler, F. Böhme  
Ionic Complexes of Bis(hydroxyarylidene)alkanones with Strong Polymeric Bases as a New Class of Third-Order Nonlinear Optical Chromophores  
Macromolecules, 34 (20), 7100 – 7107 (2001)
77. U. Oertel, D. Appelhans, P. Friedel, D. Jehnichen, H. Komber, B. Pilch, B. Hänel, B. Voit  
Excitation energy transfer between a first generation dendrimer and a pyrene derivative in LB multilayers  
Langmuir, 18 (1), 105 – 111 (2002)

78. H. Komber, A. Ziemer, B. Voit  
Etherification as side reaction in the hyperbranched polycondensation of 2,2-bis(hydroxymethyl)propionic acid  
Macromolecules, 35 (9), 3514 – 3519 (2002)
79. F. Böhme, Ch. Kunert, H. Komber, D. Voigt, P. Friedel, M. Khodja, H. Wilde  
Polymeric and Macrocyclic Ureas Based on Meta-Substituted Aromatic Diamines  
Macromolecules, 35 (11), 4233 – 4237 (2002)
80. K. Sharavanan, H. Komber, F. Böhme  
Synthesis and Properties of Aliphatic Polyacetamides  
Macromol. Chem. Phys., 203 (12), 1852-1858 (2002)
81. H. Komber, H.-H. Limbach, F. Böhme, C. Kunert  
NMR Studies of the Tautomerism of Cyclo-tris(4-R-2,6-pyridylformamidine) in Solution and in the Solid State  
J. Am. Chem. Soc., 124 (40), 11955 – 11963 (2002)
82. D. Schmaljohann, H. Komber, J. G. Barratt, D. Appelhans, B. I. Voit  
Kinetics of non-ideal Hyperbranched Polymerizations,  
2. Kinetic Analysis of the Polycondensation of 3,5-Bis(trimethylsiloxy)-benzoylchloride using NMR Spectroscopy  
Macromolecules, 36 (1), 97 – 108 (2003)
83. E. J. Onah, U. Oertel, L. Häußler, D. Voigt, C. Froeck, H. Komber, B. I. Voit, K. Lunkwitz  
Fluorine containing poly(amide-imide)s: synthesis and formation of Langmuir-Blodgett monolayers  
Europ. Polym. J., 39(1), 127 – 134 (2003)
84. L. Jakisch, H. Komber, F. Böhme  
Multifunctional Coupling Agents: Synthesis and Model Reactions  
J. Polym. Sci.: Part A: Polym. Chem. , 41, 655 – 667 (2003)

85. J. C. Rueda, H. Komber, J. C. Cedron, B. Voit, G. Shevstova  
Synthesis of New Hydrogels by Copolymerization of Poly(2-methyl-2-oxazoline) Bis(macromonomers) and N-Vinylpyrrolidone  
Macromol. Chem. Phys., 204 (7), 947 - 953 (2003)
86. J. Rueda, R. Suica, H. Komber, B. Voit  
Synthesis of New Polymethyloxazoline Hydrogels by the “Macroinitiator” Method  
Macromol. Chem. Phys., 204 (7), 954 - 960 (2003)
87. U. Schulze, T. Fonagy, H. Komber, G. Pompe, J. Pionteck, B. Ivan  
Synthesis of Poly(propylene-g-styrene) Graft Copolymers by Metallocene Catalyzed Copolymerization of Propene with Allyl-terminated Polystyrene Macromonomer Obtained via Quasiliving Atom Transfer Radical Polymerization and the Effect of the Grafts on Blending Polypropylene with Polystyrene  
Macromolecules, 36, 4719 – 4726 (2003)
88. D. Tabuani, O. Monticelli, H. Komber, S. Russo  
Preparation and Characterisation of Pd Nanoclusters within Hyperbranched Aramids Templates to be used in Homogeneous Catalysis  
Macromol. Chem. Phys., 204 (12), 1576 - 1583 (2003)
89. D. Pospiech, H. Komber, D. Voigt, D. Jehnichen, L. Häußler, A. Gottwald, W. Kollig, K. Eckstein, A. Baier, K. Grundke  
Synthesis and characterization of semifluorinated polymers and block copolymers  
Macromol. Symp., 199 (1), 173 - 186 (2003)
90. C. Clausnitzer, B. Voit, H. Komber, D. Voigt  
Poly(ether amide) Dendrimers via Nucleophilic Ring opening Addition Reactions of Phenol Groups toward Oxazolines: Synthesis and Characterization  
Macromolecules, 36, 7065 - 7074 (2003)
91. O. Monticelli, S. Fiori, A. Mariani, S. Russo, H. Komber  
Synthesis, characterisation and properties of aramid copolymers prepared from AB and AB<sub>2</sub> monomers  
e-Polymers, 2003, no. 053 (18 pages) (2003)

92. A. Taeger, C. Vogel, D. Lehmann, D. Jehnichen, H. Komber, J. Meier-Haack, N. A. Ochoa, S. P. Nunes, K.-V. Peinemann  
Ion exchange membranes Derived from sulfonated polyaramides  
Reactive & Functional Polymers, 57, 77 - 92 (2003)
93. G. Schmack, B. Tändler, G. Opitz, R. Vogel, H. Komber, L. Häußler, D. Voigt, S. Weinmann, M. Heinemann, H.-G. Fritz  
High-Speed Melt Spinning of Various Grades of Polylactides  
Jour. Appl. Polym. Sci., 91, 800-806 (2004)
94. A. Kowalczyk-Bleja, B. Trzebicka, H. Komber, B. Voit, A. Dworak  
Controlled radical polymerization of p-(iodomethyl)styrene – a route to branched and star-like structures  
Polymer, 45, 9 – 18 (2004)
95. K. Sharavanan, H. Komber, D. Fischer, F. Böhme  
Hydrolytic degradation of polyamides and its potential application in controlled release of active agents  
Polymer, 45, 2127 – 2132 (2004)
96. T. Hoffmann, D. Pospiech, L. Häußler, A. John, P. Friedel, H. Komber, D. Voigt, P. Werner, V. Altstädt  
Synthesis and Phase Separation of PEEK / PSU Multiblock Copolymers  
High Perform. Polym., 16 (1), 3 - 20 (2004)
97. M. Abdelrehim, H. Komber, J. Langenwalter, B. Voit, B. Bruchmann  
Synthesis and Characterization of Hyperbranched Poly(urea-urethane)s Based on AA\* and B<sub>2</sub>B\* Monomers  
J. Polym. Sci. A: Polym. Chem., 42, 3062 – 3081 (2004)

98. A. Scheel, H. Komber, B. Voit  
Hyperbranched Thermolabile Polycarbonates Derived from a  $A_2+B_3$  Monomer System  
Macromol. Symp., 210 (1), 101 – 110 (2004)
99. V. Bhadraiah Sadhu, J. Pionteck, D. Voigt, H. Komber, B. Voit  
Synthesis of Halogen-Free Amino-Functionalized Polymethyl Methacrylate by Atom Transfer Radical Polymerization (ATRP)  
Macromol. Symp., 210 (1), 147 – 155 (2004)
100. A. Scheel, H. Komber, B. Voit  
Novel Hyperbranched Poly([1,2,3] Triazole)s via 1,3-Dipolar Cycloaddition Derived from  $AB_2$  Monomers  
Macromol. Rapid. Commun., 25, 1175 – 1180 (2004)
101. D. Appelhans, V. Stastny, H. Komber, D. Voigt, B. Voit, P. Lhoták, I. Stibor  
Novel dendritic cores based on thiacalix[4]arene derivatives  
Tetrahedron Letters, 45 (38), 7145-7149 (2004)
102. M. M. Dudkina, A. V. Tenkovtsev, H. Komber, L. Häußler, F. Böhme  
Competitive Influence of Carboxylic Groups in Ionic Complex Formation of 4-Hydroxybenzylidene Alkanones with Polyamidines  
Macromolecules, 37 (22), 8389 – 8393 (2004)
103. V. Bhadraiah Sadhu, J. Pionteck, D. Voigt, H. Komber, D. Fischer, B. Voit  
Atom Transfer Radical Polymerization: A Strategy for the Synthesis of Halogen-Free Amino-Functionalized Poly (methyl methacrylate) in a One-pot Reaction  
Macromol. Chem. Phys., 205 (17), 2356 – 2365 (2004)
104. L. Jakisch, H. Komber, R. Wursche, F. Böhme  
Multifunctional Coupling Agents. II. Chain Extension and Terminal Group Modification of Polyamides  
J. Appl. Polym. Sci. 94 (5), 2170 – 2177 (2004)

105. J. C. Rueda, H. Komber, B. Voit  
Synthesis of New Amphiphilic and Lyophobic Polymer Networks Containing 2-Methyl- and 2-Nonyl-2-oxazoline by the “Macroinitiator” Method  
J. Polym. Sci.: Part A: Polym. Chem. , 43(1), 122 – 128 (2005)
106. S. Gramm, H. Komber, D. Schmaljohann  
Copolymerization Kinetics of N-Isopropylacrylamide and Diethylene Glycol Monomethylether Monomethacrylate Determined by Online NMR spectroscopy  
J. Polym. Sci.: Part A: Polym. Chem., 43 (1), 142 – 148 (2005)
107. D. Pospiech, H. Komber, D. Jehnichen, L. Häussler, K. Eckstein, H. Scheibner, A. Janke, H. R. Kricheldorf, O. Petermann  
Multiblock Copolymers of L-Lactide and Trimethylene Carbonate  
Biomacromolecules, 6(1), 439 – 446 (2005)
108. H. Komber, V. Steinert  
Isomerisation of *Erythro*- and *Threo*-Succinate Units in Alternating Alkene–Maleic Acid Copolymers: A Promising Route to New Microstructures  
Macromol. Rapid Commun., 26(3), 168-171 (2005)
109. T. Hoffmann, D. Pospiech, L. Häußler, H. Komber, D. Voigt, C. Harnisch, C. Kollann, M. Ciesielski, M. Döring, R. Perez-Graterol, J. Sandler, V. Altstädt  
Novel Phosphorous-Containing Aromatic Polyethers - Synthesis and Characterization  
Macromol. Chem. Phys., 206(4), 423-431 (2005)
110. D. Appelhans, H. Komber, R. Kirchner, J. Seidel, C.-F. Huang, D. Voigt, D. Kuckling, F.-C. Chang, B. Voit  
Polypeptide-Shelled Poly(propylene imine) Dendrimers and Their Complexing Properties towards Copper(II) Ions  
Macromol. Rapid Commun., 26(8), 586-591 (2005)



111. D. Appelhans, Z.-G. Wang, S. Zschoche, R.-C. Zhuang, L. Häußler, P. Friedel, F. Simon, D. Jehnichen, K. Grundke, K.-J. Eichhorn, H. Komber, B. Voit  
Bulk and Surface Properties of Maleimide Copolymers: Effekt of Fluorinated Side Chains  
Macromolecules 38(5); 1655-1664 (2005)
112. H. Stephan, G. Geipel, D. Appelhans, G. Bernhard, D. Tabunai, H. Komber, B. Voit  
Pegylation of 1,4,8,11-tetraazacyclotetradecane (cyclam) and its Cu(II) complexation  
Tetrahedron Letters 46(18), 3209-3212 (2005)
113. J. C. Rueda, S. Zschoche, H. Komber, D. Schmaljohann, B. Voit  
Synthesis and Characterization of Thermo-Responsive Graft Copolymers of NIPAAm and 2-Alkyl-2-oxazolines by the "Grafting from" Method  
Macromolecules 38(17); 7330-7336 (2005)
114. D. Appelhans, M. Smet, G. Khimich, H. Komber, D. Voigt, P. Lhotak, D. Kuckling, B. Voit  
Lysine dendrimers based on thiacalix[4]arene core moieties as molecular scaffolds for supramolecular host systems  
New J. Chem. 29, 1386 – 1389 (2005)
115. H. Mart, U. Oertel, H. Komber, L. Häussler, F. Böhme  
Ionic Interactions in Blends of Polyamidines and Proton Donor Terminated Poly(alkylene ether)s  
Macromolecules 38(19), 8051-8057 (2005)

## 2006 – 2010

116. F. Böhme, H. Komber, S. H. Jafari  
Synthesis and characterization of a novel unsaturated polyester based on poly(trimethylene terephthalate)  
Polymer 47, 1892 – 1898 (2006)
117. R. T. S. Muthu Lakshmi, J. Meier-Haack, K. Schlenstedt, H. Komber, V. Choudhary, I. K. Varma  
Synthesis, characterisation and membrane properties of sulphonated poly(aryl ether sulphone) copolymers  
Reactive & Functional Polymers 66, 634-644 (2006)

118. R. Grombe, M.-F. Gouzy, M. Nitschke, H. Komber, C. Werner  
Preparation and characterization of glycosylated maleic anhydride copolymer thin films  
Colloids and Surfaces A: Physicochem. Eng. Aspects, 284-285, 295-300 (2006)
119. H. Komber, K. Stumpe, B. Voit  
NMR Study of Hyperbranched Polyphenylenes from the AB<sub>2</sub>, (AB<sub>2</sub>+AB) and (A<sub>2</sub>+B<sub>3</sub>) Methods  
Macromol. Chem. Phys., 207(20), 1814-1824 (2006)
120. K. Stumpe, H. Komber, B. Voit  
Novel Branched Polyphenylenes based on A<sub>2</sub>/B<sub>3</sub> and AB<sub>2</sub>/AB Monomers via Diels-Alder Cycloaddition  
Macromol. Chem. Phys., 207(20), 1825-1833 (2006)
121. B. T. Dung, L. Jakisch, H. Komber, L. Häußler, B. Voit, N. D. Nghia, F. Böhme  
Multifunctional Coupling Agents: 3. Segmented Block Copolymers Based on Carboxy- Terminated Poly(propylene oxide) and Amino-Terminated Polyamide 12  
Macromol. Chem. Phys., 207(21), 1953-1964 (2006)
122. U. Oertel, M. M. Dudkina, H. Komber, B. Pilch, A. V. Tenkovtsev, F. Böhme  
A spectroscopic study on the dissociation behavior of 4-hydroxybenzylideneacetone type NLO chromophores in the presence of sodium hydroxide  
Optical Materials, 29(4), 377-385 (2006)
123. D. Fischer, K. Sahre, M. Abdelrehim, B. Voit, V. B. Sadhu, J. Pionteck, H. Komber, J. Hutschenreuter  
Process monitoring of polymers by in-line ATR-IR, NIR and RAMAN spectroscopy and ultrasonic measurements  
Comptes Rendus Chimie, 9(11-12), 1419-1424 (2006)
124. O. Hien, H. Komber, B. I. Voit, N. Krasteva, A. Yasuda, T. Vossmeier  
Hyperbranched polythioethers: preparation and use in gold nanoparticle composite sensor films  
Journal of Nanostructured Polymers and Nanocomposite, 2 (4), 109 – 120 (2006)

125. T. Fonagy, U. Schulze, H. Komber, D. Voigt, J. Pionteck, B. Ivan  
Poly(propylene-*g*-styrene) graft copolymers with well-defined microstructure by metallocene catalyzed copolymerization of propylene with allyl-terminated polystyrene macromonomers  
Macromolecules, 40 (5), 1401-1407 (2007)
126. T. Fonagy, U. Schulze, H. Komber, D. Voigt, J. Pionteck, B. Ivan  
Well-defined poly(propylene-*g*-styrene) graft copolymers by combining quasiliving ATRP and metallocene catalysis: A semi-combinatorial approach  
Polymer Preprints 48, 207-208 (2007)
127. A. Savitsky, A. V. Tenkovtsev, H. Komber, U. Oertel, F. Böhme  
Synthesis and ionic interactions of a proton donor terminated polyalkylene ethers  
Macromol. Rapid Commun., 28(5), 641-645 (2007)
128. H. Komber, K. Stumpe, B. Voit  
The Rotation of Pentaphenylphenyl Groups and their Terminal Phenyl Groups: a Variable-Temperature <sup>1</sup>H NMR Study on an Albatrossene and a Three-bladed Molecular Propeller  
Tetrahedron Lett., 48 (15), 2655-2659 (2007)
129. D. Appelhans, Y. Zhong, H. Komber, P. Friedel, U. Oertel, U. Scheler, N. Morgner, D. Kuckling, S. Richter, J. Seidel, B. Brutschy, B. Voit  
Oligosaccharide-Modified Poly(propyleneimine) Dendrimers: Synthesis, Structure Determination and Cu(II) Complexation  
Macromol. Biosci., 7 (3), 373-383 (2007)
130. Z. Özyürek, H. Komber, S. Gramm, D. Schmaljohann, A. H. E. Müller, B. Voit  
Thermoresponsive Glycopolymers via Controlled Radical Polymerization  
Macromol. Chem Phys. 208 (10), 1035-1049 (2007)
131. S. Fleischmann, H. Komber, D. Appelhans, B. Voit  
Synthesis of Functionalized NMP Initiators for Click Chemistry: A Versatile Method for the Preparation of Functionalized Polymers and Block Copolymers  
Macromol. Chem Phys. 208 (10), 1050-1060 (2007)

132. L. Jakisch, H. Komber, F. Böhme  
Multifunctional coupling agents: 5. Introduction of a new coupling agent for selective coupling of hydroxy and amino group containing polymers.  
Macromol. Mat. Engin. 292 (5), 557-570 (2007)
133. V. Senkovskyy, N. Khanduyeva, H. Komber, U. Oertel, M. Stamm, D. Kukling, A. Kiriya  
Conductive Polymer Brushes of Regioregular Head-to-Tail Poly(3-alkylthiophenes) via Catalyst-Transfer Surface-Initiated Polycondensation  
J. Am. Chem. Soc., 129 (20), 6626-6632 (2007)
134. J. Meier-Haack, H. Komber, C. Vogel, W. Butwilowski, K. Schlenstedt, D. Lehmann  
Side-Chain Sulfonated Poly(arylene ether)s for Fuel Cell Applications  
Macromol. Symp. 254 (1), 322 – 328 (2007)
135. B. Voit, S. Fleischmann, H. Komber, A. Scheel, K. Stumpe  
Cycloaddition Reactions and Dendritic Polymer Architectures - A Perfect Match  
Macromol. Symp. 254 (1), 16 – 24 (2007)
136. A. Reisch, H. Komber, B. Voit  
Kinetic Analysis of Two Hyperbranched  $A_2+B_3$  Polycondensation Reactions by NMR Spectroscopy  
Macromolecules 40 (19), 6846 - 6858 (2007)
137. D. Pospiech, A. Korwitz, H. Komber, D. Voigt, D. Jehnichen, J. Müller, A. Janke, T. Hoffmann, B. Kretschmar  
In situ Synthesis of Poly(ethylene terephthalate)/layered Silicate Nanocomposites by Polycondensation  
High Perform. Polym. 19 (10), 565 – 580 (2007)
138. F. Böhme, L. Jakisch, H. Komber, R. Wursche  
Multifunctional coupling agents: 4. Block copolymers based on amino terminated polyamide 12 and carboxy terminated poly(butane terephthalate)  
Polymer Degradation and Stability, 92 (12), 2270 – 2277 (2007)

139. R. K. Narayanan, A. K. Hijazi, H. Komber, B. Voit, S. Zschoche, F. E. Kühn, O. Nukeyen, M. Walter, P. Hanefeld  
Synthesis of highly reactive polyisobutylenes using solvent-ligated manganese (II) complexes as catalysts  
J. Polym Sci. Part A: Polym. Chem., 45 (23), 5636 – 5648 (2007)
140. J. C. Rueda, K. Contreras, R. Coello, M. Lomer, H. Komber, S. Zschoche, B. Voit  
Characterization of new thermo-responsive hydrogels for optical sensing applications  
Proc. of SPIE 6572, 65720T-1 – 65720-7 (2007)
141. M. Millaruelo, V. Steinert, H. Komber, R. Klopsch, B. Voit  
Synthesis of Vinylphosphonic Acid Anhydrides and their Copolymerization with Vinylphosphonic Acid  
Macromol. Chem Phys., 209 (4), 366-374 (2008)
142. H. Komber, V. Steinert, B. Voit  
<sup>1</sup>H, <sup>13</sup>C and <sup>31</sup>P NMR Study on Poly(vinylphosphonic acid) and its Dimethylester  
Macromolecules, 41 (6), 2119-2125 (2008)
143. U. Schulze, D. Pospiech, H. Komber, L. Häussler, D. Voigt, M. Eschner  
Synthesis and properties of propene copolymers with ether comonomers  
Europ. Polym. J., 44 (3), 694-703 (2008)
144. M. Farmahini-Farahani, S.H. Jafari, H.A. Khonakdar, F. Böhme, H. Komber, A. Yavari, M. Tarameshloo  
Investigation of exchange reactions and rheological response of the reactive blends of poly (trimethylene terephthalate) and phenoxy resin  
Polymer International 57 (4), 612-617 (2008)
145. M. Messerschmidt, M. Millaruelo, H. Komber, L. Häussler, B. Voit, T. Krause, M. Yin, W.-D. Habicher  
Synthesis of Partially Protected Block Copolymers Based on 4-Hydroxystyrene Using NMRP and a Sequence of Polymer Analogous Reactions  
Macromolecules 41 (8), 2821-2831 (2008)

146. S. Fleischmann, H. Komber, B. Voit  
Diblock Copolymers as Scaffolds for Efficient Functionalization via Click Chemistry  
Macromolecules, 41 (14), 5255-5264 (2008)
147. B. Klajnert, D. Appelhans, H. Komber, N. Morgner, S. Schwarz, S. Richter, B. Brutschy, M. Ionov, A. K. Tonkikh, M. Bryszewska, B. Voit  
The Influence of Densely Organized Maltose Shells on the Biological Properties of Poly(propylene imine) Dendrimers: New Effects Dependent on Hydrogen Bonding  
Chem. Eur. J., 14 (23), 7030-7041 (2008)
148. M. Bräuer, B. Tändler, H. Komber, G. Pompe, C. Bellmann, H. Brünig, C. Hess  
Beiträge zum Reaktionsmechanismus des Elastanfaserschmelzspinnens nach dem Vernetzerverfahren  
Kautschuk, Gummi, Kunststoffe, 61 (10), 531-539 (2008)
149. J. C. Cuggino, C. I. Alvarez Igarzabal, J. C. Rueda, L. M. Quinzani, H. Komber, M. C. Strumia  
Synthesis and characterization of new hydrogels through copolymerization of N-acryloyl-tris-(hydroxymethyl) aminomethane and different crosslinking agents  
Europ. Polym. J., 44 (11), 3548-3555 (2008)
150. Z. Wang, D. Appelhans, A. Synytska, H. Komber, F. Simon, K. Grundke, B. Voit  
Studies of Surface Segregation and Surface Properties of N-pentylperfluorooctaneamide End-Capped Semicrystalline Poly(butylene terephthalate) Films  
Macromolecules, 41 (22), 8557-8565 (2008)
151. F. Schallauski, M. Erber, H. Komber, A. Lederer  
An Easy Strategy for the Synthesis of Well-Defined Aliphatic-Aromatic Hyperbranched Polyesters  
Macromol. Chem Phys., 209 (22), 2331-2338 (2008)
152. D. Pospiech, D. Jehnichen, H. Komber, A. Korwitz, A. Janke, T. Hoffmann, B. Kretschmer, L. Häußler, U. Reuter, M. Döring, S. Seibold, R. Perez-Graterol, J. K. W. Sandler, V. Altstädt, F. Bellucci, G. Camino  
New polymers for tailor-made nanocomposites  
J. of Nanostructured Polymers and Nanocomposites, 4 (2), 62-75 (2008)

153. I. Aravind, K.-J. Eichhorn, H. Komber, D. Jehnichen, N. E. Zafeiropoulos, K. H. Ahn, Y. Grohens, M. Stamm, S. Thomas  
A study on Reaction-Induced Miscibility of Poly(trimethylene terephthalate)/Polycarbonate Blends  
J. Phys. Chem. B 113 (6), 1569-1578 (2009) DOI: [10.1021/jp805204m](https://doi.org/10.1021/jp805204m)
154. A. Ghosh, S. Banerjee, H. Komber, K. Schneider, L. Häußler, B. Voit  
Synthesis and characterization of fluorinated poly(imide siloxane) block copolymers  
Europ. Polym. J., 45 (5), 1561 – 1569 (2009)
155. D. Appelhans, H. Komber, M. Abdul Quadir, S. Richter, S. Schwarz, J. van der Vlist, A. Aigner, M. Müller, K. Loos, J. Seidel, K.-F. Arndt, R. Haag, B. Voit  
Hyperbranched PEI with Various Oligosaccharide Architectures: Synthesis, Characterization, ATP Complexation, and Cellular Uptake Properties  
Biomacromolecules, 10 (5), 1114 - 1124 (2009) DOI: [10.1021/bm801310d](https://doi.org/10.1021/bm801310d)
156. J. Hegewald, J. Pionteck, L. Häußler, H. Komber, B. Voit  
End-Functionalized Polystyrene by ATRP: A Facile Approach to Primary Amino and Carboxylic Acid Terminal Groups  
J. Polym Sci.: Part A: Polym. Chem. 47 (15), 3845 – 3859 (2009)
157. J. Stadermann, S. Fleischmann, M- Messerschmidt, H. Komber, B. Voit  
Multifunctional Block Copolymers Based on Styrene Derivatives  
Macromol. Symp., 275-276, 35 - 42 (2009)
158. S. Banerjee, H. Komber, L. Häußler, B. Voit  
Synthesis and Characterization of Hyperbranched Poly(arylene ether)s from a New Activated Trifluoro B<sub>3</sub> Monomer Adopting an A<sub>2</sub>+B<sub>3</sub> Approach  
Macromol. Chem Phys., 210 (16), 1272-1282 (2009)
159. S.-H. Jafari, H. A. Khonakdar, A. Asadinezhad, L. Häußler, F. Böhme, H. Komber  
On the Interrelationship of Transreactions with Thermal Properties and Dynamic Mechanical Analysis of PTT/PEN Blends  
Macromol. Chem Phys., 210 (16), 1291-1302 (2009)

160. S. Fleischmann, A. Kiriy, V. Bocharova, C. Tock, H. Komber, B. Voit  
Synthesis of Dendronized Diblock Copolymers via Click Chemistry: The Effect of the Dendronization on Phase Separation Behaviour  
Macromol. Rapid Comm., 30 (17), 1457 – 1462 (2009)
161. U. Oertel, H. Mart, H. Komber, F. Böhme  
Media effects on the optical properties of proton donor group containing azobenzene derivatives  
Optical Materials, 32 (1), 54 – 61 (2009)
162. H. Komber, U. Georgi, B. Voit  
<sup>1</sup>H and <sup>13</sup>C NMR Spectra of Highly Branched Poly(4-chloromethylstyrene). Signal Assignment, Structure Characterization, and a SCVP Kinetics Study  
Macromolecules, 42 (21), 8307 – 8315 (2009) DOI: [10.1021/ma901614r](https://doi.org/10.1021/ma901614r)
163. U. Oertel, H. Komber, A. V. Tenkovtsev, M. M. Dudkina, A. E. Trofimov, F. Böhme  
Ionic pseudopolyrotaxanes bearing a chromophore in the side chain - A spectroscopic study in water  
Polymer, 50 (25), 5876 – 5883 (2009)
164. V. Senkovskyy, R. Tkachov, T. Beryozkina, H. Komber, U. Oertel, M. Horecha, V. Bocharova, M. Stamm, S. A. Gevorgyan, F. C. Krebs, A. Kiriy  
“Hairy” Poly(3-hexylthiophene) Particles Prepared via Surface-Initiated Kumada Catalyst-Transfer Polycondensation  
J. Am. Chem. Soc., 131 (45), 16445–16453 (2009) DOI: [10.1021/ja904885w](https://doi.org/10.1021/ja904885w)
165. E. Kaul, V. Senkovskyy, R. Tkachov, V. Bocharova, H. Komber, M. Stamm, A. Kiriy  
Synthesis of a Bifunctional Initiator for Controlled Kumada Catalyst-Transfer Polycondensation/Nitroxide-Mediated Polymerization and Preparation of Poly(3-hexylthiophene)-Polystyrene Block Copolymer Therefrom  
Macromolecules, 43 (1), 77–81 (2010) DOI: [10.1021/ma902354j](https://doi.org/10.1021/ma902354j)
166. G. W. Rabe, H. Komber, L. Häußler, K. Kreger, G. Lattermann  
Polymerization of Diethyl Vinylphosphonate mediated by Rare-earth Tris(amide) Compounds  
Macromolecules, 43 (3), 1178 – 1181 (2010) DOI: [10.1021/ma902068n](https://doi.org/10.1021/ma902068n)



167. U. Schulze, M. Johannsen, R. Haschick, H. Komber, A. Lederer, B. Voit  
Synthesis of poly(10-undecene-1-ol) by metallocene-catalyzed polymerization  
Europ. Polym. J., 46 (3), 578 – 586 (2010)
168. A. Ghosh, B. Banerjee, H. Komber, A. Lederer, L. Häußler, B. Voit  
Extremely High Molar Mass Hyperbranched Poly(arylene ether)s from a New Semifluorinated AB<sub>2</sub> Monomer by an Unusual AB<sub>2</sub>+A<sub>2</sub> Polymerization Approach  
Macromolecules, 43 (6), 2846 – 2854 (2010) DOI: [10.1021/ma9028322](https://doi.org/10.1021/ma9028322)
169. J. C. Rueda, S. Zschoche, H. Komber, F. Krahl, K.-F. Arndt, B. Voit  
New Thermo-Sensitive Graft Copolymers Based on a Poly(N-isopropylacrylamide) Backbone and Functional Polyoxazoline Grafts with Random and Diblock Structure  
Macromol. Chem. Phys., 211 (6), 706 – 716 (2010)
170. D. Appelhans, U. Oertel, R. Mazzeo, H. Komber, J. Hoffmann, S. Weidner, B. Brutschy, B. Voit, M. F. Ottaviani  
Dense-shell Glycodendrimers: UV-vis and EPR study of Metal Ion Complexation  
Proceedings of the Royal Society A 466; 1489-1513 (2010)
171. J. Stadermann, M. Erber, H. Komber, J. Brandt, K.-J. Eichhorn, M. Bönsch, M. Mertig, B. Voit  
Photopatternable Films of Block Copolymers Prepared through Double-Click Reaction  
Macromolecules, 43 (7), 3136 – 3140 (2010) DOI: [10.1021/ma100109t](https://doi.org/10.1021/ma100109t)
172. A. Khalyavina, F. Schallausky, H. Komber, M. Al Samman, W. Radke, A. Lederer  
Aromatic-Aliphatic Polyesters with Tailored Degree of Branching Based on AB/AB<sub>2</sub> and ABB\*/AB<sub>2</sub> Monomers  
Macromolecules, 43 (7), 3268 – 3276 (2010) DOI: [10.1021/ma100037n](https://doi.org/10.1021/ma100037n)
173. U. Georgi, M. Erber, J. Stadermann, M. Abulikemu, H. Komber, A. Lederer, B. Voit  
New Approaches to Hyperbranched Poly(4-chloromethylstyrene) and Introduction of Various Functional End Groups by Polymer-Analogous Reactions  
J. Polym. Sci.: Part A: Polym. Chem., 48 (10), 2224 – 2235 (2010)

174. R. Tkachov, V. Senkovskyy, H. Komber, J.-U. Sommer, A. Kiriya  
Random Catalyst Walking Along Polymerized Poly(3-hexylthiophene) chains in Kumada Catalyst-Transfer Polycondensation  
J. Am. Chem. Soc. 132 (22), 7803–7810 (2010) DOI: [10.1021/ja102210r](https://doi.org/10.1021/ja102210r)
175. V. Senkovskyy, T. Beryozkina, V. Bocharova, R. Tkachov, H. Komber, A. Lederer, M. Stamm, N. Severin, J. P. Rabe, A. Kiriya  
A Core-First Preparation of Poly(3-alkylthiophene) Stars  
Macromol. Symp. 291-292, 17-25 (2010)
176. B. E. Diebl, Y. Li, M. Cokoja, F. E. Kühn, N. Radhakrishnan, S. Zschoche, H. Komber, H. Y. Yeong, B. Voit, O. Nuyken, P. Hanefeld, H.-M. Walter  
Synthesis and Application of Molybdenum (III) Complexes Bearing Weakly Coordinating Anions as Catalysts of Isobutylene Polymerization  
J. Polym. Sci.: Part A: Polym. Chem. 48 (17), 3775 – 3786 (2010)
177. S. Boye, H. Komber, P. Friedel, A. Lederer  
Solution properties of selectively modified hyperbranched polyesters  
Polymer 51(18), 4110 – 4120 (2010)
178. T. Hoffmann, D. Pospiech, L. Häußler, K. Sahre, H. Komber, C. Harnisch, M. Auf der Landwehr, A. Schäfer, M. Döring  
Phosphorus-containing Polysulfones - A Comparative Study  
High Performance Polymers, 22 (6), 715 – 741 (2010)
179. V. Senkovskyy, M. Sommer, R. Tkachov, H. Komber, W. T. S. Huck, A. Kiriya  
Convenient Route to Initiate Kumada Catalyst-Transfer Polycondensation Using Ni(dppe)Cl<sub>2</sub> or Ni(dppp)Cl<sub>2</sub> and Sterically Hindered Grignard Compounds  
Macromolecules 43 (23), 10157 – 10161 (2010)

**2011**

180. H. Satpathi, A. Ghosh, H. Komber, S. Banerjee, B. Voit  
Synthesis and characterization of new semifluorinated linear and hyperbranched poly(arylene ether phosphine oxide)s through  $B_2+A_2$  and  $AB_2$  approaches  
Europ. Polymer J., 47 (2), 196 - 207 (2011)
181. S. Werner, D. Pospiech, D. Jehnichen, K. Eckstein, H. Komber, P. Friedel, A. Janke, F. Näther, U. Reuter, B. Voit, R. Taurino, M. Messori  
Synthesis and phase separation behavior of  $\square, \square$ -difunctionalized diblock copolymers  
J. Polym Sci.: Part A: Polym. Chem., 49 (4), 926 - 937 (2011)
182. U. Schulze, K. Sahre, M. Johannsen, H. Komber, B. Voit  
Poly(10-undecene-1-ol) characterized by MALDI-TOF MS and NMR spectroscopy  
Europ. Polymer J., 47 (3), 352 - 361 (2011)
183. R. Sablong, R. Duchateau, C. E. Koning, D. Pospiech, A. Korwitz, H. Komber, S. Starke, L. Häußler, D. Jehnichen, M. Auf der Landwehr  
Incorporation of a flame retardancy enhancing phosphorus-containing diol into poly(butylene terephthalate) *via* solid state polymerisation: A comparative study  
Polym. Degr. Stab., 96(3), 334 – 341 (2011)
184. M. Riedel, J. Stadermann, H. Komber, F. Simon, B. Voit  
Synthesis, post-modification and self-assembled thin films of pentafluorostyrene containing block copolymers  
Eur. Polym. J., 47 (4), 675 – 684 (2011)
185. R. Tkachov, V. Senkovskyy, H. Komber, A. Kiriy  
Influence of Alkyl Substitution Pattern on Reactivity of Thiophene-Based Monomers in Kumada Catalyst-Transfer Polycondensation  
Macromolecules, 44 (7), 2006 – 2015 (2011) DOI: [10.1021/ma102724y](https://doi.org/10.1021/ma102724y)
186. J. Stadermann, H. Komber, M. Erber, F. Däbritz, H. Ritter, B. Voit  
Diblock copolymer formation via self-assembly of cyclodextrin and adamantyl end-functionalized polymers  
Macromolecules, 44 (9), 3250 – 3259 (2011) DOI: [10.1021/ma200048a](https://doi.org/10.1021/ma200048a)

187. R. Pötzsch, S. Fleischmann, C. Tock, H. Komber, B. Voit  
Combining RAFT and Staudinger Ligation: A Potentially New Synthetic Tool for Bioconjugate Formation  
Macromolecules, 44 (9), 3260 – 3269 (2011) DOI: [10.1021/ma2000724](https://doi.org/10.1021/ma2000724)
188. A. Ghosh, S. Banerjee, H. Komber, L. Häußler, K. Schneider, B. Voit  
New Semifluorinated Siloxane-Grafted Copolyimides: Synthesis and Comparison with Their Linear Analogs  
Macromol. Mater. Eng., 296 (5), 391 – 400 (2011) DOI: [10.1002/mame.201000311](https://doi.org/10.1002/mame.201000311)
189. A. Ghosh, S. Chatterjee, S. Banerjee, H. Komber, B. Voit  
Linear and Hyperbranched Poly(arylene ether)s from a New Semifluorinated AB Monomer  
J. Macromol. Sci., Part A: Pure Appl. Chem., 48 (7), 509 – 517 (2011)  
DOI: [10.1080/10601325.2011.579807](https://doi.org/10.1080/10601325.2011.579807)
190. C. Vogel, H. Komber, A. Quetschke, W. Butwilowski, A. Pötschke, K. Schlenstedt, J. Meier-Haack  
Side-chain sulfonated random and multiblock poly(ether sulfone)s for PEM applications  
Reactive and Functional Polymers, 71 (8), 828 – 842 (2011)  
DOI: [10.1016/j.reactfunctpolym.2011.04.006](https://doi.org/10.1016/j.reactfunctpolym.2011.04.006)
191. V. Senkovskyy, M. Sommer, R. Tkachov, H. Komber, M. Heuken, B. Voit, W. T. S. Huck, V. Kataev, A. Petr, A. Kiriya  
Chain-Growth Polymerization of Unusual Anion-Radical Monomers Based on Naphthalene Diimide: A New Route to well-defined n-Type Conjugated Copolymers  
J. Am. Chem. Soc., 133 (49), 19966–19970 (2011) DOI: [10.1021/ja208710x](https://doi.org/10.1021/ja208710x)
192. H. Komber, V. Senkovskyy, R. Tkachov, K. Johnson, A. Kiriya, W. T. S. Huck, M. Sommer  
Ring walking versus trapping of Nickel(0) during Kumada catalyst transfer polycondensation using externally initiated electron-accepting thiophenebenzothiadiazole-thiophene precursors  
Macromolecules, 44 (23), 9164 – 9172 (2011) DOI: [10.1021/ma2018827](https://doi.org/10.1021/ma2018827)
- 2012**
193. A. Ghosh, S. Banerjee, D.-Y. Wang, H. Komber, B. Voit  
Synthesis, characterization and properties of new siloxane grafted copolyimides  
J. Appl. Polym. Sci., 123 (5), 2959 – 2967 (2012) DOI: [10.1002/app.34927](https://doi.org/10.1002/app.34927)

194. M. Heuken, H. Komber, B. Voit  
Polystyrene-Based C<sub>60</sub> Acceptor Copolymers through Azide-Alkyne Click Chemistry Approaches  
Macromol. Chem. Phys., 213 (1), 97 – 107 (2012) DOI: [10.1002/macp.201100547](https://doi.org/10.1002/macp.201100547)
195. S. Zschoche, J. C. Rueda, M. Binner, H. Komber, A. Janke, K.-F. Arndt, S. Lehmann, B. Voit  
Reversibly switchable pH- and thermo-responsive core-shell nanogels based on Poly(NiPAAm-*graft*-2-carboxyethyl-2-oxazoline)s  
Macromol. Chem. Phys., 213 (2), 215 – 226 (2012) DOI: [10.1002/macp.201100388](https://doi.org/10.1002/macp.201100388)
196. A. Ghosh, D. Bera, D.-Y. Wang, H. Komber, A. K. Mohanty, S. Banerjee, B. Voit  
Synthesis, characterization and properties of new semifluorinated poly(arylene ether phosphine oxides)s  
Macromol. Mater. Eng., 297 (2), 145 – 154 (2012) DOI: [10.1002/mame.201100139](https://doi.org/10.1002/mame.201100139)
197. M. Johannsen, U. Schulze, K. Sahre, H. Komber, B. Voit  
Synthesis of Allyl-Terminated Polar Macromonomers by Metallocene-Catalyzed Polymerizations of 10-Undecene-1-ol  
ACS Macro Lett., 1 (2), 352 – 355 (2012) DOI: [10.1021/mz200185b](https://doi.org/10.1021/mz200185b)
198. J. Stadermann, M. Riedel, H. Komber, F. Simon, B. Voit  
Functionalized Block Copolymers for Preparation of Reactive Self-assembled Surface Patterns  
J. Polym Sci.: Part A: Polym. Chem., 50 (7), 1351 – 1361 (2012) DOI: [10.1002/pola.25901](https://doi.org/10.1002/pola.25901)
199. P. Kohn, S. Huettner, H. Komber, V. Senkovskyy, R. Tkachov, A. Kiriya, R. H. Friend, U. Steiner, W. T. S. Huck, J.-U. Sommer, M. Sommer  
On the role of single regio-defects and polydispersity in regioregular poly(3-hexylthiophene): Defect distribution, synthesis of defect-free chains and a simple model for the determination of crystallinity  
J. Am. Chem. Soc., 134 (10), 4790 – 4805 (2012) DOI: [10.1021/ja210871j](https://doi.org/10.1021/ja210871j)
200. H. Komber, S. Chakraborty, B. Voit, S. Banerjee  
Degree of sulfonation and microstructure of post-sulfonated polyethersulfone studied by NMR spectroscopy  
Polymer, 53 (8), 1624 – 1631 (2012) DOI: [10.1016/j.polymer.2012.02.020](https://doi.org/10.1016/j.polymer.2012.02.020)

201. F. Däbritz, A. Lederer, H. Komber, B. Voit  
Synthesis and characterization of two classes of hyperstar polymers bearing hyperbranched cores grafted with linear arms  
J. Polym Sci.: Part A: Polym. Chem., 50 (10), 1979 – 1990 (2012) DOI: [10.1002/pola.25972](https://doi.org/10.1002/pola.25972)
202. D. Pospiech, S. Werner, D. Jehnichen, H. Komber, P. Friedel, U. Reuter, S. S. Funari, J. Perlich, B. Voit  
Multifunctionalized methacrylate di- and triblock copolymers: synthesis and nanostructure  
J. of Nanostructured Polymers and Nanocomposites, 8 (2), 58 - 66 (2012) Link: [03.08.02.04.html](http://03.08.02.04.html)
203. M. Heuken, H. Komber, T. Erdmann, V. Senkovskyy, A. Kiriy, B. Voit  
Fullerene-Functionalized Donor-Acceptor Block Copolymers through Etherification as Stabilizers for Bulk Heterojunction Solar Cells  
Macromolecules, 45 (10), 4101 – 4114 (2012) DOI: [10.1021/ma300473w](https://doi.org/10.1021/ma300473w)
204. M. Sommer, H. Komber, S. Huettner, R. Mulherin, P. Kohn, N. C. Greenham, W. T. S. Huck  
Synthesis, Purification and Characterization of Well-Defined All-Conjugated Diblock Copolymers F8TBT-*b*-P3HT  
Macromolecules, 45 (10), 4142 – 4151 (2012) DOI: [10.1021/ma300533k](https://doi.org/10.1021/ma300533k)
205. A. Lederer, T. Hartmann, H. Komber  
Sphere-Like Fourth Generation Pseudo-Dendrimers with a Hyperbranched Core  
Macromol. Rapid Comm., 33 (17), 1440 – 1444 (2012) DOI: [10.1002/marc.201200223](https://doi.org/10.1002/marc.201200223)
206. V. Senkovskyy, R. Tkachov, H. Komber, A. John, J.-U. Sommer, A. Kiriy  
Mechanistic Insight into Catalyst-Transfer Polymerization of unusual Anion-Radical Naphthalene Diimide Monomers: An Observation of Ni(0) Intermediates  
Macromolecules, 45 (19), 7770 – 7777 (2012) DOI: [10.1021/ma301797w](https://doi.org/10.1021/ma301797w)
207. N. K. Singha, A. Kavitha, D. J. Haloi, P. Mandal, A. Janke, D. Jehnichen, H. Komber, B. Voit  
Effect of Nanoclay on in situ Preparation of "All Acrylate" ABA Triblock Copolymers via ATRP and Their Morphology  
Macromol. Chem. Phys., 213 (19), 2034 – 2043 (2012) DOI: [10.1002/macp.201200174](https://doi.org/10.1002/macp.201200174)

208. M. Paolino, F. Ennen, H. Komber, M. Cernescu, A. Cappelli, B. Brutschy, B. Voit, D. Appelhans  
Self-assembly of poly(propylene imine) glycodendrimers: role of aromatic interactions in the formation of necklace- and donut-like nanostructures  
Polymer Chem., 3 (12), 3239 – 3242 (2012) DOI: [10.1039/c2py20649h](https://doi.org/10.1039/c2py20649h)
209. A. Gube, H. Komber, K. Sahre, P. Friedel, B. Voit, F. Böhme  
Formation of oligomeric and macrocyclic ureas based on 2,6-diaminopyridine  
J. Org. Chem., 77 (21), 9620 – 9627 (2012) DOI: [10.1021/jo3015598](https://doi.org/10.1021/jo3015598)
210. S. Boye, D. Appelhans, V. Boyko, S. Zschoche, H. Komber, P. Friedel, P. Formanek, A. Janke, B. Voit, A. Lederer  
pH Triggered Aggregate Shape of Different Generations Lysine-Dendronized Maleimide Copolymers with Maltose Shell  
Biomacromolecules, 13 (12), 4222 – 4235 (2012) DOI: [10.1021/bm301489s](https://doi.org/10.1021/bm301489s)
- 2013**
211. M. Sommer, H. Komber  
Spiropyran main-chain conjugated polymers  
Macromol. Rapid Commun., 34 (1), 57 – 62 (2013) DOI: [10.1002/marc.201200688](https://doi.org/10.1002/marc.201200688)
212. J. M. McCarthy, B. Rasines Moreno, D. Filippini, H. Komber, M. Maly, M. Cernescu, B. Brutschy, D. Appelhans, M. S. Rogers  
Influence of Surface Groups on Poly(propylene imine) Aendrimers Antiprion Activity  
Biomacromolecules, 14 (1), 27 – 37 (2013) DOI: [10.1021/bm301165u](https://doi.org/10.1021/bm301165u)
213. A. K. Mohanty, E. A. Mistri, S. Banerjee, H. Komber, B. Voit  
Highly fluorinated sulfonated poly(arylene ether sulfone) copolymers: Synthesis and evaluation of proton exchange membrane properties  
Ind. Eng. Chem. Res., 52 (8), 2772 – 2783 (2013) DOI: [10.1021/ie303380a](https://doi.org/10.1021/ie303380a)
214. R. Mukherjee, A. K. Mohanty, S. Banerjee, H. Komber, B. Voit  
Phthalimidine based fluorinated poly(arylene ether sulfone)s copolymer proton exchange membranes  
J. Membr. Sci., 435, 145 – 154 (2013) DOI: [10.1016/j.memsci.2013.01.059](https://doi.org/10.1016/j.memsci.2013.01.059)

215. N. Zhang, L. Jakisch, H. Komber, B. Voit, F. Böhme  
Synthesis of multifunctional coupling agents and their selective reactions with hydroxy and amino groups in melt  
Tetrahedron, 69 (18), 3656 – 3663 (2013) DOI: [10.1016/j.tet.2013.03.024](https://doi.org/10.1016/j.tet.2013.03.024)
216. M. Messerschmidt, H. Komber, L. Häußler, C. Hanzelmann, M. Stamm, B. Raether, O. da Costa e Silva, P. Uhlmann  
Amphiphilic ABC Triblock Copolymers Tailored via RAFT Polymerization as Textile Surface Modifiers with Dual-Action Properties  
Macromolecules, 46 (7), 2616 – 2627 (2013) DOI: [10.1021/ma302471q](https://doi.org/10.1021/ma302471q)
217. M. Paolino, F. Ennen, S. Lamponi, M. Cernescu, B. Voit, A. Cappelli, D. Appelhans, H. Komber  
Cyclodextrin-Adamantane Host-Guest Interactions on the Surface of Biocompatible Adamantyl-Modified Glycodendrimers  
Macromolecules, 46 (9), 3215 – 3227 (2013) DOI: [10.1021/ma400352m](https://doi.org/10.1021/ma400352m)
218. E. A. Mistri, A. K. Mohanty, S. Banerjee, H. Komber, B. Voit  
Naphthalene dianhydride based semifluorinated sulfonated copoly(ether imide)s: Synthesis, characterization and proton exchange properties  
Journal of Membrane Science, 441, 168 – 177 (2013) DOI: [10.1016/j.memsci.2013.03.015](https://doi.org/10.1016/j.memsci.2013.03.015)
219. N. Hauptmann, M. Pion, M.-A. Munoz-Fernandez, H. Komber, C. Werner, D. Appelhans, B. Voit  
Ni(II)-NTA Modified Poly(ethylene imine) Glycopolymers: Physicochemical Properties and First In Vitro Study of Polyplexes Formed with HIV-Derived Peptides  
Macromol. Biosci., 13 (5), 531 – 538 (2013) DOI: [10.1002/mabi.201200449](https://doi.org/10.1002/mabi.201200449)
220. E. Vacas Córdoba, M. Pion, B. Rasines, D. Filippini, H. Komber, M. Ionov, M. Bryszewska, D. Appelhans, M. Ángeles Muñoz-Fernández,  
Glycodendrimers as new tools in the search for effective anti-HIV DC-based immunotherapies  
Nanomedicine: Nanotechnology, Biology and Medicine, 9 (7), 972 – 984 (2013)  
DOI: [10.1016/j.nano.2013.03.004](https://doi.org/10.1016/j.nano.2013.03.004)
221. C. Langner, J. Meier-Haack, B. Voit, H. Komber  
The stepped reaction of decafluorobiphenyl with thiophenol studied by in situ <sup>19</sup>F NMR spectroscopy  
Journal of Fluorine Chemistry, 156, 314 – 321 (2013) DOI: [10.1016/j.jfluchem.2013.07.013](https://doi.org/10.1016/j.jfluchem.2013.07.013)



222. R. Pöttsch, H. Komber, B. C. Stahl, C. J. Hawker, B. I. Voit  
Radical Thiol-Yne Chemistry on Diphenylacetylene - Selective and Quantitative Addition Enabling The Synthesis of Hyperbranched Poly(vinyl sulfide)s  
Macromol. Rapid Comm., 34(22), 1772-1778 (2013) DOI: [10.1002/marc.201300707](https://doi.org/10.1002/marc.201300707)
- 2014**
223. J. C. Rueda, E. Campos, H. Komber, S. Zschoche, L. Häussler, B. Voit  
Synthesis and characterization of new pH- and thermo-responsive hydrogels based on N-isopropylacrylamide and 2-oxazolines  
Designed Monomers and Polymers, 17(3), 208-216 (2014) DOI: [10.1080/15685551.2013.840471](https://doi.org/10.1080/15685551.2013.840471)
224. A. K. Mohanty, S. Banerjee, H. Komber, B. Voit  
Imidoaryl biphenol based new fluorinated sulfonated poly(arylene ether sulfone) copolymers and their proton exchange membrane properties  
Solid State Ionics, 254, 82-91 (2014) DOI: [10.1016/j.ssi.2013.11.029](https://doi.org/10.1016/j.ssi.2013.11.029)
225. H. Komber, S. Müllers, F. Lombeck, A. Held, M. Walter, M. Sommer  
Soluble and stable alternating main-chain merocyanine copolymers through quantitative spiropyran-merocyanine conversion  
Polymer Chemistry, 5(2), 443-453 (2014) DOI: [10.1039/c3py00853c](https://doi.org/10.1039/c3py00853c)
226. F. Ennen, S. Boye, A. Lederer, M. Cernescu, H. Komber, B. Brutschy, B. Voit, D. Appelhans  
Biohybrid structures consisting of biotinylated glycodendrimers and proteins: Influence of the biotin ligand's number and chemical nature on the biotin-avidin conjugation  
Polymer Chemistry, 5(4), 1323-1339 (2014) DOI: [10.1039/C3PY01152F](https://doi.org/10.1039/C3PY01152F)
227. R. Pöttsch, B. C. Stahl, H. Komber, C. J. Hawker, B. I. Voit  
High Refractive Index Polyvinylsulfide Materials Prepared By Selective Radical Mono-Addition Thiol-Yne Chemistry  
Polymer Chemistry, 5(8), 2911-2921 (2014) DOI: [10.1039/C3PY01740K](https://doi.org/10.1039/C3PY01740K)
228. W. Liu, R. Tkachov, H. Komber, V. Senkovskyy, M. Schubert, Z. Wei, A. Facchetti, D. Neher, A. Kiriy  
Chain-Growth Polycondensation of Perylene Diimide-Based Copolymers: a New Route to Regio-Regular Perylene Diimide-Based Acceptors for All-Polymer Solar Cells and n-Type Transistors  
Polymer Chemistry, 5(10), 3404-3411 (2014) DOI: [10.1039/C3PY01707A](https://doi.org/10.1039/C3PY01707A)

229. S. Kinder, H. Komber, D. Jehnichen, L. Häussler, F. Böhme, M. Garaleh, D. Pospiech, B. Voit, U. Schulze  
Synthesis and characterization of comb-like copolymers based on poly( $\epsilon$ -caprolactone) and poly( $\alpha$ -olefin)  
Macromol. Chem. Phys., 215(8), 733-741 (2014) DOI: [10.1002/macp.201300695](https://doi.org/10.1002/macp.201300695)
230. K. Awasthi, S. Choudhury, H. Komber, F. Simon, P. Formanek, A. Sharma, M. Stamm  
Functionalization of track-etched poly(ethylene terephthalate) membranes as a selective filter for hydrogen purification  
Intern. Journal of Hydrogen Energy, 39(17), 9356-9365 (2014) DOI: [10.1016/j.ijhydene.2014.03.240](https://doi.org/10.1016/j.ijhydene.2014.03.240)
231. D. Schiefer, T. Wen, Y. Wang, P. Goursot, H. Komber, R. Hanselmann, P. Braunstein, G. Reiter, M. Sommer  
Nickel catalyst with a hybrid P, N ligand for Kumada catalyst transfer polycondensation of sterically hindered thiophenes  
ACS Macro Letters, 3(6), 617-621 (2014) DOI: [10.1021/mz500282j](https://doi.org/10.1021/mz500282j)
232. S. Chakraborty, K. Jähnichen, H. Komber, A. A. Basfar, B. Voit  
Synthesis of magnetic polystyrene nanoparticles using amphiphilic ionic liquid stabilized RAFT mediated miniemulsion polymerization  
Macromolecules, 47(13), 4186-4189 (2014) DOI: [10.1021/ma5008013](https://doi.org/10.1021/ma5008013)
233. A. Singh, R. Mukherjee, S. Banerjee, H. Komber, B. Voit  
Sulfonated polytriazoles from a new fluorinated diazide monomer and investigation of their proton exchange properties  
Journal of Membrane Science, 469, 225 – 237 (2014) DOI: [10.1016/j.memsci.2014.06.043](https://doi.org/10.1016/j.memsci.2014.06.043)
234. F. Lombeck, H. Komber, S. I. Gorelsky, M. Sommer  
Identifying homocouplings as critical side reactions in direct arylation polycondensation  
ACS Macro Letters, 3(x), 819-823 (2014) DOI: [10.1021/mz5004147](https://doi.org/10.1021/mz5004147)
235. R. Tkachov, H. Komber, V. Senkovskyy, S. Rauch, A. Lederer, U. Oertel, L. Häußler, B. Voit, A. Kiriy  
One-Pot Synthesis of All-Conjugated Block-Like Bisthiophene-Naphthalenediimide / Fluorene Copolymer  
Macromolecules, 47(15), 4994-5001 (2014) DOI: [10.1021/ma5006588](https://doi.org/10.1021/ma5006588)

236. R. Mukherjee, S. Banerjee, H. Komber, B. Voit  
High proton conducting fluorinated sulfonated poly(arylene ether sulfone)s copolymers with side chain grafting  
RSC Advances, 4 (87), 46723-46736 (2014) DOI: [10.1039/C4RA07291J](https://doi.org/10.1039/C4RA07291J)
237. Q. Wei, R. Pötzsch, H. Komber, D. Pospiech, B. Voit  
High Refractive Index Hyperbranched Polymers with Different Naphthalene Contents Through Thiol – Yne Click Reaction Using Disubstituted Asymmetric Bulky Alkynes  
Polymer, 55 (22), 5600 – 5607 (2014) DOI: [10.1016/j.polymer.2014.07.030](https://doi.org/10.1016/j.polymer.2014.07.030)
238. M. Paolino, H. Komber, L. Mennuni, G. Caselli, D. Appelhans, B. Voit, A. Capelli  
Supramolecular glycodendrimer-based hybrid drugs  
Biomacromolecules, 15 (11), 3985 – 3993 (2014) DOI: [10.1021/bm501057d](https://doi.org/10.1021/bm501057d)
239. A. Luzio, D. Fazzi, F. Nübling, R. Matsidik, A. Straub, H. Komber, E. Giussani, S. E. Watkins, M. Barbatti, W. Thiel, E. Gann, L. Thomsen, C. R. McNeill, M. Caironi, M. Sommer  
Structure-function relationships of high electron-mobility naphthalene diimide copolymers prepared by direct arylation  
Chemistry of Materials, 26 (21), 6233 – 6240 (2014) DOI: [10.1021/cm503033j](https://doi.org/10.1021/cm503033j)
- 2015**
240. F. Lombeck, R. Matsidik, H. Komber, M. Sommer  
Simple Synthesis of P(Cbz-alt-TBT) and PCDTBT by Combining Direct Arylation With Suzuki Polycondensation of Heteroaryl Chlorides  
Macromol. Rapid Comm., 36 (2), 231 – 237 (2015) DOI: [10.1002/marc.201400437](https://doi.org/10.1002/marc.201400437)
241. R. Matsidik, J. Martin, S. Schmidt, J. Obermeyer, F. Lombeck, F. Nübling, H. Komber, D. Fazzi, M. Sommer  
C–H Arylation of Unsubstituted Furan and Thiophene with Acceptor Bromides: Access to Donor–Acceptor–Donor-Type Building Blocks for Organic Electronics  
The Journal of Organic Chemistry, 80 (2), 980 – 987 (2015) DOI: [10.1021/jo502432e](https://doi.org/10.1021/jo502432e)
242. M. Tahir, K. W. Stöckelhuber, N. Mahmood, H. Komber, G. Heinrich  
Reactive Blending of Nitrile Butadiene Rubber and Thermoplastic Polyurethane-Urea: Characterization and Properties  
Macromol. Mat. Engin., 300 (2), 242 - 250 (2015) DOI: [10.1002/mame.201400298](https://doi.org/10.1002/mame.201400298)